



High Ranking TPI® Genomic Young Bulls JULY 2024

Bulls with no daughters in their genomic proofs for Production or Type. No requirement for semen status.

GTPi® is a servicemark of Holstein Association USA, Inc. © 2024

Registration Number	Name	Requester	NAAB code	Birth Date		Yield										Type						
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPi
HO840003283492501	SSI-DUCKETT 7940	Select		2405	12.4	65	149	374	78	2.56	6.8	-2.0	9.9	0.2	1.93	2.33	0.16	-1.48	76	1.7	4.8	3316
HO840003287657164	ADAWAY 3905	Select		2404	12.1	73	119	320	78	2.64	7.6	2.3	10.9	2.4	1.67	1.75	0.33	0.34	76	2.1	4.2	3310
HO840003283239757	PEAK 89093-ET	PEAK		2406	12.1	82	132	335	78	2.48	8.6	2.3	14.6	2.0	0.25	0.73	-0.41	0.72	76	1.8	3.7	3305
HO840003273775763	KENYON-HILL 7374	Select		2404	12.9	70	127	330	78	2.66	7.0	2.7	7.9	1.1	2.02	1.98	0.66	0.20	77	2.7	4.2	3295
HO840003280021163	SSI-SIEMERS 47049	Select		2405	11.8	77	134	338	78	2.63	5.8	-0.2	7.9	0.4	1.93	2.02	0.59	0.59	76	2.2	3.8	3293
HO840003252524155	WELCOME 5655	Select		2405	11.9	72	136	348	78	2.72	6.4	-0.3	7.9	1.0	2.00	2.11	0.10	-0.59	76	2.0	5.0	3288
HO840003285651919		SexTech		2405	11.3	81	150	383	78	2.69	6.0	2.1	7.3	-0.1	1.59	1.30	-0.21	-0.66	77	3.3	6.1	3287
HO840003283437749		SexTech		2406	11.8	92	131	396	78	2.81	6.7	2.3	3.8	-0.2	1.33	1.61	0.11	-1.78	76	2.7	5.3	3282
HO840003269138057	REGANCREST CATAPULT 16495-ET	Semex		2405	12.1	76	143	366	78	2.73	5.5	-0.1	6.6	1.3	1.44	1.50	-0.29	-0.12	76	2.2	3.6	3280
HO840003283437643		SexTech		2405	12.5	77	166	403	78	2.89	5.0	0.7	5.3	-0.4	1.25	1.26	-0.05	-1.01	76	1.6	4.2	3278
HO840003272446745		Semex		2406	11.8	70	159	395	79	2.82	4.7	0.3	6.3	0.8	1.18	1.34	0.23	-0.89	77	2.6	4.4	3276
HO840003271807656	AURORA 1490	Select		2405	11.7	73	116	293	78	2.55	7.3	2.0	7.9	0.9	2.17	2.44	0.40	0.95	76	1.9	4.7	3275
HO840003283239702	PEAK 89038-ET	PEAK		2405	12.7	73	145	357	77	2.75	5.7	1.7	9.0	0.8	1.58	0.90	0.83	-0.09	76	2.0	4.3	3275
HO840003288411243	DUCKETT 1455	Select		2405	11.3	64	132	298	78	2.87	6.4	3.1	7.8	2.3	1.89	1.63	1.07	1.03	76	2.3	4.4	3272
HO840003272026316	LADYS-MANOR OWEN 1581-ET	Semex		2405	11.6	70	146	345	78	2.64	5.4	1.7	7.7	0.2	1.52	1.50	0.90	0.40	77	2.4	4.0	3271
HO840003283492474	SSI-DUCKETT 7913	Select		2405	12.0	61	140	342	78	2.77	5.8	1.2	3.2	2.5	1.50	1.58	0.58	-0.45	76	1.8	3.5	3268
HO840003272457217	PEAK 8833-ET	PEAK		2405	12.8	68	147	356	78	2.75	6.1	0.0	7.5	0.7	1.70	1.64	0.35	-0.52	76	2.5	4.5	3267
HO840003283240273	PEAK 20758-ET	PEAK		2405	13.2	82	140	384	78	2.78	6.9	3.3	12.2	-0.7	1.08	1.07	0.46	-1.31	76	1.9	5.2	3265
HO840003253986061	PLAIN-KNOLL 11525	Select		2405	11.9	75	142	367	78	2.78	6.0	2.4	7.4	-0.6	1.81	1.90	-0.23	-0.56	76	1.4	3.9	3262
HO840003280699628	TRIFECTA 40268	Select		2404	12.2	67	137	354	78	2.72	6.7	2.5	9.2	0.7	1.54	1.79	-0.07	-0.52	76	1.6	4.2	3262
HO840003282601228	NORTHSIDE HLYSMOKE 13204-ET	GenVis		2405	12.2	78	129	358	78	2.51	6.9	0.5	9.1	0.2	1.15	1.50	0.35	-1.13	77	1.6	3.6	3262
HO840003283225834		SexTech		2405	12.2	62	146	338	78	2.73	6.0	2.5	10.2	1.0	1.29	1.74	0.12	-0.59	76	1.7	4.4	3258
HO840003287657177	ADAWAY 3918	Select		2405	11.8	51	123	301	78	2.67	7.3	3.5	9.9	3.0	1.61	1.85	0.66	-0.48	76	1.7	4.0	3256
HO840003283437743		SexTech		2406	12.0	73	136	347	78	2.78	5.0	0.6	6.1	0.9	1.67	1.82	0.49	-0.37	77	2.1	4.1	3254
HO840003228894165	COOKIECUTTER CONNOR 32625-ET	Semex		2405	11.6	62	137	307	78	2.49	5.9	-0.5	9.8	0.2	2.11	2.18	0.77	0.18	77	2.0	4.3	3253
HO840003283437645		SexTech		2405	11.1	73	134	331	78	2.65	6.6	2.4	8.0	-0.2	1.77	1.50	1.00	0.12	77	2.1	4.3	3253
HO840003272457178	PEAK 8794-ET	PEAK		2405	12.7	72	141	355	78	2.85	5.2	-0.1	3.6	0.8	2.05	2.02	0.04	-0.37	76	2.4	4.8	3252
HO840003283437620		SexTech		2405	11.6	69	142	339	78	2.62	6.2	2.1	7.9	0.4	1.04	1.68	0.36	-0.04	76	1.8	4.5	3249
HO840003273775764	KENYON-HILL 7375	Select		2405	13.1	62	118	285	78	2.51	7.0	2.9	9.0	1.0	2.31	2.23	0.51	0.63	77	2.2	3.9	3248
HO840003273775765	KENYON-HILL 7376	Select		2405	12.1	54	132	307	78	2.57	7.0	3.0	10.8	1.0	2.30	1.81	0.25	0.74	77	2.1	3.5	3247
HO840003285651897	OCD 59254	Semex		2405	12.3	65	141	327	78	2.76	5.3	2.4	8.8	0.2	1.70	2.02	0.73	0.15	77	1.9	4.5	3245
HO840003280021337	SSI-SIEMERS 47223	Select		2405	12.4	72	121	343	78	2.69	6.6	1.7	7.7	0.8	1.35	2.01	0.76	-1.11	76	2.4	4.0	3244
HO840003280021424	SIEMERS 47310	Select		2406	12.1	66	134	318	78	2.67	5.2	-0.6	8.7	-0.3	2.57	2.48	0.72	0.62	77	2.5	4.2	3244
HO840003286461525	HIGHER-RANSOM 1665	Select		2405	12.2	61	130	326	78	2.63	7.8	3.1	11.7	1.1	1.58	1.71	0.03	0.02	77	2.2	4.8	3244
HO840003252545217		SexTech		2405	12.2	66	162	361	78	2.73	5.1	0.9	6.8	0.7	0.97	0.95	0.07	-0.30	76	1.7	3.8	3242
HO840003272457176	PEAK 8792-ET	PEAK		2405	12.9	79	146	381	78	2.74	5.7	0.5	5.4	0.8	1.11	1.02	-0.38	-1.15	76	2.8	4.9	3242
HO840003272457181	PEAK 8797-ET	PEAK		2405	12.9	59	142	333	78	2.66	5.7	1.1	8.7	0.8	1.85	2.05	0.03	0.01	76	2.1	4.5	3242
HO840003287922343	DENOVO 7790	ABS		2405	12.5	75	141	381	78	2.89	3.8	-1.9	4.0	0.1	2.15	2.17	0.28	-0.85	76	2.0	4.4	3242
HO840003258837087	COOKIECUTTER 92207	Semex		2405	11.4	80	142	351	78	2.61	4.9	0.6	4.9	0.0	1.35	1.42	0.12	0.05	76	1.8	4.6	3240
HO840003258837092	COOKIECUTTER 92212	Semex		2405	12.0	66	130	324	78	2.63	5.4	0.6	8.6	1.1	1.56	1.48	1.43	-0.10	77	2.2	3.6	3239
HO840003252545264		SexTech		2405	13.1	73	138	350	78	2.75	4.8	1.0	6.9	-1.3	2.38	2.38	0.68	-0.61	77	2.5	5.3	3238
HO840003269023518	FARIA 984666	Select		2405	12.1	55	129	299	78	2.70	7.2	2.1	9.3	2.0	1.74	1.90	0.74	-0.19	76	2.2	4.9	3236
HO840003283239683	PEAK 89019-ET	PEAK		2405	12.9	65	119	303	78	2.68	7.1	1.9	10.4	1.5	1.83	1.58	0.96	0.08	76	1.1	4.1	3236
HO840003280021259	SSI-SIEMERS 47145	Select		2405	11.6	71	125	320	78	2.64	6.0	1.9	9.4	1.1	1.36	1.77	0.55	0.41	76	2.1	4.9	3234
HO840003283225831		SexTech		2405	13.2	81	130	366	78	2.89	5.1	2.7	4.2	-0.9	2.19	2.19	0.37	-1.84	76	2.3	5.7	3233

Registration Number	Name	Requester	NAAB code	Birth Date				Yield											Type			
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003256965065		Select		2405	11.4	62	144	370	78	2.80	5.2	0.4	7.7	0.4	1.55	2.15	0.33	-1.09	76	2.5	5.1	3232
HO840003283225809		SexTech		2405	12.0	87	128	355	78	2.88	4.7	0.2	3.2	-0.2	2.15	1.90	0.53	-0.69	76	2.2	5.8	3232
HO840003283239768	PEAK 89104-ET	PEAK		2406	12.8	77	141	379	78	2.71	5.9	0.1	7.3	1.1	0.93	0.94	-0.60	-0.96	76	1.7	3.7	3232
HO840003285651911		SexTech		2405	10.9	78	123	342	78	2.80	6.9	3.1	7.3	0.5	1.60	1.46	0.54	-1.30	77	2.4	5.0	3232
HO840003283437742		SexTech		2406	11.9	78	143	378	78	2.84	5.0	-0.6	3.1	0.1	1.41	1.45	0.74	-0.95	77	2.3	4.8	3230
HO840003271807641	AURORA 1475	Select		2405	11.9	57	107	276	78	2.61	7.9	3.5	11.4	2.0	1.90	1.99	1.10	-0.16	76	1.7	4.0	3227
HO840003283239634	PEAK 88970-ET	PEAK		2405	11.9	73	151	391	78	2.73	6.8	0.5	6.8	0.2	1.13	0.96	-0.65	-1.59	76	2.4	4.8	3227
HO840003272457220	PEAK 8836-ET	PEAK		2405	12.5	71	149	362	78	2.81	5.4	0.7	7.1	0.7	1.29	1.46	-0.56	-0.82	76	2.1	5.0	3226
HO840003272942014		SexTech		2405	12.3	73	134	356	78	2.68	6.3	2.3	8.5	-0.1	1.70	1.33	0.34	-0.88	77	2.8	5.1	3226
HO840003283437669		SexTech		2405	11.6	61	141	329	78	2.68	7.2	3.3	11.4	1.6	0.48	1.03	0.37	-0.30	76	1.6	4.3	3226
HO840003283492507	SSI-DUCKETT 7946	Select		2405	12.8	65	143	361	78	2.82	5.7	-0.4	6.7	-0.1	1.72	2.18	0.36	-1.39	76	2.0	4.4	3226
HO840003285785790		SexTech		2404	12.6	77	110	302	78	2.89	5.6	1.5	5.7	1.3	2.15	2.31	0.69	-0.67	77	2.1	3.8	3226
HO840003252545249		SexTech		2405	12.1	53	129	322	78	2.72	7.3	2.8	6.8	2.1	1.36	1.94	0.34	-1.68	77	1.5	4.1	3225
HO840003280021431	SSI-SIEMERS 47317	Select		2406	12.5	60	137	347	78	2.61	7.4	2.5	12.7	1.0	0.86	1.23	0.47	-0.91	76	2.5	5.0	3225
HO840003280021491	SSI-SIEMERS 47377	Select		2406	12.1	66	137	339	78	2.78	6.0	1.4	8.6	0.5	1.56	1.82	0.19	-0.44	76	1.8	4.0	3225
HO840003283437631		SexTech		2405	11.7	80	143	365	78	2.59	5.4	-1.0	9.9	-1.1	1.28	1.64	-0.01	-0.10	76	2.2	4.9	3225
HO840003270391610		Select		2405	12.0	58	109	292	78	2.60	8.6	3.4	11.4	2.7	1.51	1.77	0.27	-0.50	76	2.2	4.9	3224
HO840003272457236	PEAK 8852-ET	PEAK		2406	12.9	67	139	352	78	2.73	6.3	0.3	7.7	1.5	1.15	1.29	0.07	-0.68	76	2.6	4.6	3224
HO840003283240287	PEAK 20772-ET	PEAK		2406	13.0	78	139	368	78	2.71	7.3	2.1	10.0	-0.4	0.95	0.85	0.18	-0.77	76	2.4	3.9	3224
HO840003272446718		Semex		2405	11.7	55	125	310	78	2.57	6.4	0.3	10.1	0.3	2.32	2.68	0.86	-0.37	76	2.4	5.1	3223
HO840003283239640	PEAK 88976-ET	PEAK		2405	12.9	65	120	310	78	2.73	7.7	3.6	11.4	1.2	1.35	1.27	1.16	-0.54	76	1.1	4.0	3223
HO840003285651872		SexTech		2404	10.8	73	157	368	78	2.81	5.0	1.0	9.3	0.3	1.09	0.84	-0.52	-0.44	77	1.7	4.3	3223
HO840003268504164	WAKE-UP SPACE SATELLITE-ET	Zoetis		2401	12.2	68	126	332	79	2.73	6.1	3.0	7.1	0.7	1.44	2.03	0.31	-0.79	78	2.1	4.3	3222
HO840003272026310	LADYS-MANOR OWEN OWEN-ET	Semex		2405	11.8	70	121	304	78	2.76	5.1	0.2	6.5	1.4	1.97	1.89	0.85	0.25	77	1.9	2.9	3222
HO840003272446699		Select		2405	12.3	90	138	382	78	2.87	4.3	-0.1	5.1	-0.5	1.25	1.08	0.61	-0.33	76	2.0	3.9	3222
HO840003283437618		SexTech		2405	12.9	78	113	319	78	2.79	7.5	3.7	5.6	0.3	1.80	1.83	0.92	-1.36	77	2.0	5.3	3222
HO840003283135616		Select		2405	12.2	54	132	309	78	2.70	7.7	4.7	8.0	2.9	0.73	1.09	0.33	-1.03	77	1.6	3.9	3221
HO840003278709259		Select		2405	12.0	70	138	354	78	2.72	5.8	1.4	12.2	-0.1	1.22	1.38	0.33	-0.49	76	1.9	3.6	3220
HO840003284345418		Semex		2405	11.8	79	127	356	78	2.88	4.6	1.0	7.7	0.3	1.39	1.81	0.87	-0.83	76	2.3	4.7	3220
HO840003287567848	BLUMENFELD 9302	Select		2406	12.3	76	127	349	79	2.72	7.2	1.5	8.9	0.6	1.00	1.48	0.18	-1.26	77	2.5	4.8	3220
HO840003287657172	ADAWAY 3913	Select		2405	12.0	77	141	353	78	2.84	4.7	-0.2	7.3	0.4	1.49	1.49	0.04	0.38	76	2.3	4.4	3220
HO840003287922375	DENOVO 7822	ABS		2405	11.6	68	144	359	78	2.64	6.7	2.2	4.7	0.6	0.89	0.87	0.31	-1.21	76	2.1	3.4	3220
HO840003283239416	PEAK 88752-ET	PEAK		2403	13.0	66	137	328	78	2.80	6.1	2.3	9.8	0.7	1.15	1.63	0.29	-0.02	76	1.9	3.3	3219
HO840003252545225		SexTech		2405	11.4	67	157	373	79	2.91	4.7	0.3	3.3	-0.5	1.82	1.43	0.49	-0.80	79	2.0	3.5	3218
HO840003252545256		SexTech		2405	12.1	72	126	337	78	2.75	6.5	3.6	6.2	0.8	1.47	1.35	0.51	-0.82	76	1.8	4.8	3218
HO840003272407249	HILMAR 1507	Select		2403	12.3	68	134	339	78	2.69	6.8	2.7	6.7	0.9	1.05	1.64	0.03	-0.80	76	2.3	5.2	3218
HO840003283144901		Select		2405	12.3	75	124	341	78	2.69	5.2	-0.7	7.4	0.3	1.74	1.99	0.55	-0.62	76	2.3	3.9	3218
HO840003255970943	FAIRVUE WHISKYRYE 50567-ET	Semex		2405	12.4	74	121	347	78	2.84	5.3	0.4	5.7	-0.2	2.21	2.41	0.75	-1.10	77	2.4	4.3	3217
HO840003283437630		SexTech		2405	11.3	70	137	324	78	2.77	5.5	1.3	9.0	0.4	1.66	1.86	0.12	0.18	76	2.3	5.4	3217
HO840003283492514	SSI-DUCKETT 7953	Select		2405	12.7	60	139	347	78	2.74	5.8	0.5	5.8	1.1	1.46	1.73	0.51	-1.27	76	1.8	4.2	3217
HO840003271807664	AURORA 1498	Select		2406	12.5	87	130	376	78	2.74	5.8	0.2	5.3	-0.3	1.45	1.33	-0.26	-0.22	76	2.1	4.4	3216
HO840003269138056	REGANCREST CATAPULT 16494-ET	Semex		2405	11.7	77	152	391	78	2.85	4.3	-1.7	4.1	-0.2	1.71	1.17	-0.12	-1.23	76	2.0	4.2	3215
HO840003283225815		SexTech		2405	11.9	68	144	334	78	2.71	5.4	1.6	7.7	0.1	1.52	1.71	-0.21	-0.33	76	1.8	4.6	3215
HO840003283225836		SexTech		2405	11.9	54	144	321	78	2.64	6.4	3.2	13.0	0.6	1.25	1.35	0.51	-0.63	76	1.8	4.2	3214
HO840003283225822		SexTech		2405	11.8	79	161	376	78	2.66	4.5	-0.4	7.6	-1.5	1.29	1.39	-0.73	0.12	76	2.1	5.3	3213
HO840003283437745		SexTech		2406	11.2	64	140	341	78	2.77	5.8	2.1	7.3	0.2	1.61	1.63	0.67	-0.72	76	1.9	5.1	3213
HO840003267561611	PINE-TREE 743 MIRRO 300-ET	HO		2405	11.9	60	129	329	79	2.79	6.2	1.8	5.8	1.6	1.47	1.84	0.79	-1.12	78	2.1	4.6	3212
HO840003271807640	AURORA 1474	Select		2405	12.1	61	123	296	78	2.63	6.4	3.8	10.7	0.5	2.02	1.91	0.58	0.71	76	1.5	4.6	3212
HO840003280021066	SSI-SIEMERS 46952	Select		2405	11.8	63	124	317	78	2.70	6.2	1.5	8.1	2.0	1.33	1.71	0.23	-0.11	76	1.6	4.0	3212
HO840003283239747	PEAK 89083-ET	PEAK		2406	12.6	67	106	294	78	2.65	9.1	3.6	12.4	3.5	0.57	0.90	0.13	-0.22	76	1.7	4.1	3212
HO840003284092088	JOLUDI-D CASTING 6-ET	Semex		2405	12.0	75	143	346	78	2.79	4.1	0.5	9.8	-0.7	1.62	1.57	0.43	0.04	76	1.6	4.0	3212
HO840003280021058	SSI-SIEMERS 46944	Select		2405	12.3	59	120	285	78	2.58	7.6	3.5	9.8	1.6	1.52	1.55	0.94	0.28	76	2.7	4.7	3211
HO840003283239778	PEAK 89114-ET	PEAK		2406	12.2	80	146	393	78	2.79	5.8	0.1	2.8	-0.3	1.53	0.95	-0.22	-1.03	76	2.7	5.0	3210

Registration Number	Name	Requester	NAAB code	Birth Date				Yield											Type			
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003283437642		SexTech		2405	12.5	67	133	357	78	2.80	7.4	2.9	7.6	2.4	0.22	0.99	-0.19	-1.59	76	2.0	4.8	3210
HO840003285651972	OCD OWEN 59329-ET	Semex		2405	12.7	82	132	347	78	2.75	4.4	-1.4	6.6	0.0	1.31	1.70	0.47	-0.33	77	2.0	3.6	3210
HO840003287922364	DENOVO 7811	ABS		2405	12.4	65	151	360	78	2.69	5.7	0.9	8.8	-0.2	1.32	1.23	0.18	-0.37	76	2.2	4.6	3210
HO840003273775778	KENYON-HILL 7389	Select		2405	12.2	50	116	263	78	2.50	7.8	3.9	9.2	1.7	2.23	2.14	0.39	0.16	77	2.6	4.3	3209
HO840003283239642	PEAK 88978-ET	PEAK		2405	13.2	82	133	389	77	2.80	6.3	3.1	7.2	0.3	0.35	1.12	-0.56	-1.83	76	1.8	3.8	3209
HO840003283239773	PEAK 89109-ET	PEAK		2406	13.0	72	135	367	78	2.79	5.8	0.6	6.3	0.8	1.12	1.59	-0.32	-1.11	76	1.6	4.1	3209
HO840003280021034	SIEMERS 46920	Semex		2405	12.2	85	97	312	78	2.61	6.3	0.3	9.5	0.6	1.48	2.03	1.09	-0.89	77	2.2	4.6	3208
HO840003283437657		SexTech		2405	11.9	68	141	349	78	2.66	6.4	1.4	8.4	1.3	0.14	1.39	-0.38	-1.62	76	1.4	4.4	3207
HO840003289305239	DENOVO 23024	ABS		2406	12.5	61	135	318	78	2.61	6.8	2.7	10.8	0.9	0.99	1.37	0.29	-0.12	76	2.0	3.7	3207
HO840003252545156	551HO06246	SexTech		2405	12.2	75	120	353	78	2.83	7.0	3.3	5.1	0.3	1.23	1.72	0.62	-1.62	76	2.0	4.5	3206
HO840003253986069	PLAIN-KNOLL 11533	Select		2406	11.8	52	138	313	78	2.55	6.9	2.3	11.2	1.1	1.36	1.57	0.34	0.21	76	2.5	4.8	3206
HO840003286319806	BOMAZ OWEN 4428-ET	Semex		2404	11.8	77	148	382	78	2.72	4.6	-0.3	6.4	-0.1	0.71	1.17	-0.12	-1.26	77	2.2	3.4	3206
HO840003274830799	PEN-COL LOCKSTEP 1277-ET	PEAK		2405	11.7	63	132	349	78	2.69	7.3	3.8	8.6	2.2	0.39	0.89	-0.49	-1.22	76	1.5	3.4	3205
HO840003280021503	SSI-SIEMERS 47389	Select		2406	11.1	73	128	357	78	2.77	5.6	-0.1	6.3	1.3	1.06	1.19	0.86	-0.53	76	2.2	4.3	3205
HO840003280021405	SIEMERS 47291	Select		2406	11.6	60	115	272	79	2.58	7.1	3.4	10.9	0.6	2.39	2.14	0.46	0.68	78	2.1	4.6	3204
HO840003283239726	PEAK 89062-ET	PEAK		2405	11.7	72	129	354	78	2.68	5.9	1.8	6.5	1.5	0.94	1.10	-0.61	-1.20	76	0.9	2.9	3204
HO840003271807633	AURORA 1467	Semex		2405	12.0	74	130	342	78	2.80	4.3	-0.8	6.2	-0.6	2.36	1.96	1.05	-0.14	76	2.0	4.7	3203
HO840003283144905	OCD 23815	Select		2405	12.1	71	131	325	78	2.85	6.4	4.3	7.7	0.6	1.25	1.27	0.56	-0.08	77	2.1	4.7	3203
HO840003283437723		SexTech		2405	12.1	62	132	317	78	2.64	5.8	2.5	9.4	-0.8	1.67	2.42	0.73	-0.18	76	1.4	4.6	3203
HO840003283492476	SSI-DUCKETT 7915	Select		2405	11.9	70	136	354	78	2.87	5.4	-0.6	3.0	1.0	1.33	1.74	0.46	-1.12	76	1.7	4.5	3203
HO840003285651896		SexTech		2405	12.0	79	144	386	78	2.83	6.1	1.3	5.0	0.3	0.83	0.95	-0.50	-1.29	77	2.3	4.8	3203
HO840003236266864	DENOVO 6864	ABS		2405	12.7	78	137	373	78	2.92	4.7	-0.5	7.6	-0.2	1.33	1.62	0.15	-0.79	76	2.0	3.3	3202
HO840003283145322	OCD CASTING 72232-ET	Semex		2405	11.6	53	129	287	78	2.70	5.4	1.4	9.4	1.3	1.92	2.30	1.06	0.45	77	1.9	5.4	3202
HO840003283225848		SexTech		2405	12.0	68	135	346	78	2.60	7.1	2.5	12.1	0.0	0.68	1.12	0.12	-0.94	76	1.3	3.5	3202
HO840003283437640		SexTech		2405	11.8	69	131	332	78	2.78	4.0	-1.4	4.4	-0.1	2.64	2.18	1.02	0.13	77	2.2	5.2	3202
HO840003272407254	HILMAR 1512	Select		2404	12.0	54	144	322	78	2.56	6.7	1.5	10.2	0.7	1.32	1.60	-0.06	-0.01	76	2.4	4.6	3201
HO840003283437713		SexTech		2405	12.4	75	136	328	78	2.76	4.9	-0.5	6.9	-0.4	1.86	1.86	0.67	0.23	76	2.0	5.6	3201
HO840003272457242	PEAK 8858-ET	PEAK		2406	11.8	64	149	356	78	2.59	5.7	0.6	8.8	0.0	1.26	1.37	-0.20	0.13	76	2.7	5.4	3200
HO840003283135585		SexTech		2405	11.3	79	146	390	78	2.75	5.0	-1.0	8.1	-0.6	1.10	1.23	-0.17	-1.59	77	1.8	5.3	3200
HO840003283492478	SSI-DUCKETT 7917	Select		2405	11.8	63	137	359	78	2.79	5.9	2.0	8.8	1.9	0.64	0.90	0.20	-1.54	76	1.4	3.9	3200
HO840003272446693		Select		2405	12.0	65	119	328	78	2.51	6.8	1.9	13.2	1.4	1.13	1.15	0.07	-0.72	76	1.6	3.9	3199
HO840003282838173	WINSTAR HANSEL 5731-ET	Semex		2404	11.2	74	160	416	78	2.93	4.3	-0.6	4.8	-1.0	0.85	1.44	0.32	-2.11	77	2.6	5.2	3199
HO840003283239641	PEAK 88977-ET	PEAK		2405	12.7	68	121	322	78	2.84	6.5	1.2	8.3	1.1	1.81	2.01	0.18	-0.40	77	2.2	5.2	3199
HO840003283240278	PEAK 20763-ET	PEAK		2405	12.5	71	116	326	78	2.65	8.1	3.1	10.1	1.4	0.97	0.97	0.39	-0.74	76	1.5	4.6	3199
HO840003228894298	COOKIECUTTER 32642-ET	PEAK		2405	12.8	75	144	364	78	2.76	4.7	-0.3	7.0	-0.2	1.46	1.20	0.06	-0.83	76	1.8	4.5	3198
HO840003271807643	AURORA 1477	Select		2405	12.4	76	133	353	78	2.70	5.9	1.6	8.5	-0.9	1.34	1.44	0.49	-0.17	76	2.3	3.9	3198
HO840003280021420	SSI-SIEMERS 47306	Select		2406	11.9	52	133	306	78	2.46	5.9	1.5	11.7	0.7	1.44	1.85	0.53	-0.30	76	1.9	3.7	3198
HO840003283492461	SSI-DUCKETT 7900	Select		2405	11.7	81	129	364	78	2.60	6.1	1.2	7.9	-0.4	0.92	1.08	0.16	-0.34	76	2.3	3.5	3198
HO840003286320198	BOMAZ 5620	Select		2405	12.3	70	129	349	78	2.73	5.7	-0.8	5.8	0.6	1.36	1.83	0.36	-1.20	76	1.2	4.1	3198
HO840003252545056		SexTech		2404	11.6	55	142	330	79	2.87	6.3	2.6	6.1	0.5	1.66	1.74	0.75	-0.99	77	1.7	4.2	3197
HO840003269138055	REGANCREST CATAPULT 16493-ET	Semex		2405	11.9	66	145	334	78	2.90	4.5	0.8	6.6	-0.5	2.19	2.12	0.16	-0.14	76	2.6	4.7	3197
HO840003283225805		SexTech		2405	12.2	79	132	362	78	3.14	4.5	0.3	0.1	-0.1	2.43	2.16	0.59	-1.29	76	2.7	6.1	3197
HO840003283239677	PEAK 89013-ET	PEAK		2405	12.2	72	127	335	78	2.64	6.2	1.5	7.9	-0.7	2.10	1.47	0.90	-0.56	76	2.8	5.1	3197
HO840003283145243	OCD CASTING 72153-ET	Semex		2404	12.0	74	124	315	78	2.77	5.1	1.4	7.8	-0.5	1.98	2.27	0.56	0.48	77	1.8	4.8	3196
HO840003283145293	OCD PROACTIVE 72203-ET	Semex		2405	12.5	65	121	310	78	2.75	6.0	1.6	9.3	1.1	1.82	1.49	0.83	-0.29	76	1.3	3.8	3196
HO840003283239675	PEAK 89011-ET	PEAK		2405	12.4	64	125	309	77	2.67	5.8	2.7	8.0	1.3	1.37	1.36	1.31	0.02	76	2.4	5.6	3196
HO840003272457223	PEAK 8839-ET	PEAK		2406	13.5	73	130	338	78	2.80	5.3	-0.5	5.7	1.1	1.56	1.71	-0.21	-0.27	76	2.2	4.4	3195
HO840003283437705		SexTech		2405	11.1	74	124	335	78	2.72	6.1	0.2	7.1	0.0	1.54	1.55	1.24	-0.43	77	2.0	5.0	3195
HO840003283437753		SexTech		2406	12.2	67	132	329	78	2.79	5.0	-1.2	6.6	0.5	1.89	1.96	0.77	-0.29	76	2.0	4.8	3195
HO840003228893939	COOKIECUTTER CONNOR 32686-ET	Semex		2405	12.4	62	131	318	78	2.56	6.1	1.0	9.0	0.7	1.19	1.62	0.24	-0.68	77	1.9	2.7	3194
HO840003252545173		SexTech		2405	12.5	85	136	372	78	2.97	3.9	0.2	5.3	-1.1	1.94	1.54	0.60	-0.19	77	2.4	4.9	3194
HO840003272457191	PEAK 8807-ET	PEAK		2405	12.5	67	133	340	78	2.79	5.8	-1.7	7.2	0.1	1.78	2.12	0.35	-0.84	76	2.2	4.1	3194
HO840003280021529	SIEMERS 47415	Select		2406	12.3	69	122	323	79	2.68	6.1	0.6	8.8	-0.4	2.07	1.95	0.74	0.19	78	1.8	3.9	3194

Registration Number	Name	Requester	NAAB code	Birth Date		Yield											Type					
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003239751782	WITTENBERG 654	Select		2404	12.4	68	115	324	78	2.61	7.3	2.2	9.9	0.7	1.64	1.40	0.63	-0.45	77	2.3	4.7	3193
HO840003278709263		Select		2405	12.5	65	123	314	78	2.68	6.8	2.0	10.9	1.6	1.15	1.39	0.10	-0.32	76	2.3	4.2	3193
HO840003282838194		ABS		2405	11.9	57	136	320	78	2.74	7.1	3.8	10.8	0.9	1.05	1.33	0.50	-0.90	77	1.8	4.6	3193
HO840003283145268		Select		2405	11.7	63	112	302	78	2.60	7.3	1.7	7.9	3.1	0.78	1.20	0.53	-0.76	76	1.7	3.8	3193
HO840003286320218	BOMAZ 5640	Select		2405	11.7	63	120	304	78	2.74	6.3	2.2	7.8	0.7	2.11	2.08	0.48	-0.28	76	2.0	4.6	3193
HO840003289305224	DENOVO 23009	ABS		2406	12.0	64	155	384	78	2.82	5.3	0.9	3.9	-0.6	1.38	1.54	0.05	-1.08	76	2.0	4.8	3193
HO840003272026312	LADYS-MANOR ANDRI-ET	Select		2405	11.8	89	119	350	78	2.78	5.2	-1.2	2.7	0.1	1.47	1.73	0.55	0.15	77	3.1	5.0	3192
HO840003272407260	HILMAR DISRUPTOR 1518-ET	Semex		2404	11.6	66	140	376	78	2.73	7.0	3.3	9.5	-0.2	0.54	0.99	0.44	-2.30	76	2.4	3.6	3192
HO840003272457227	PEAK 8843-ET	PEAK		2406	12.1	73	138	370	78	2.84	5.6	0.4	6.0	0.5	1.19	1.23	-0.03	-0.90	76	1.9	4.4	3192
HO840003280021473	SSI-SIEMERS 47359	Select		2406	12.1	65	111	311	78	2.56	7.7	1.5	13.0	2.8	0.89	1.01	-0.15	-0.26	76	1.9	4.0	3192
HO840003283144926	OCD 23836	Semex		2405	12.2	81	148	368	78	2.88	3.7	-0.1	4.8	-0.4	1.09	1.04	0.48	-0.55	76	2.1	3.7	3192
HO840003286741946	PEAK 2946-ET	PEAK		2406	11.9	58	145	347	78	2.59	6.3	1.6	9.6	0.3	1.23	1.34	-0.04	-0.94	77	1.9	5.2	3192
HO840003272457200	PEAK 8816-ET	PEAK		2405	12.5	70	127	345	78	2.75	6.5	1.2	7.4	1.4	0.71	1.17	0.40	-0.58	76	1.5	4.0	3191
HO840003272457225	PEAK 8841-ET	PEAK		2406	12.1	57	133	335	78	2.55	7.4	2.0	11.3	0.9	0.79	1.49	0.20	-0.73	76	2.9	4.5	3191
HO840003272622092	PEAK 40335-ET	PEAK		2405	10.7	73	137	360	78	2.66	5.9	1.5	7.3	0.6	0.76	1.06	-0.28	-0.73	76	1.5	4.8	3191
HO840003283492496	SSI-DUCKETT 7935	Select		2405	12.7	57	133	358	78	2.73	6.7	1.4	9.3	2.2	0.33	1.61	-0.28	-2.15	76	2.0	4.5	3191
HO840003283239790	PEAK 89126-ET	PEAK		2406	12.8	70	129	348	78	2.72	7.1	2.9	10.8	0.6	0.82	1.22	-0.35	-1.50	76	1.9	4.0	3190
HO840003283437690		SexTech		2405	12.2	78	103	298	78	2.66	5.2	-0.3	6.0	-0.5	2.86	2.78	0.98	0.53	77	2.3	5.9	3190
HO840003286741944	PEAK 2944-ET	PEAK		2405	12.3	91	129	380	77	2.79	5.2	0.4	5.2	0.0	0.81	0.90	-0.41	-1.18	76	1.5	3.3	3190
HO840003236266887	DENOVO 6887	ABS		2405	12.6	74	132	347	78	2.81	6.4	1.0	5.5	1.4	0.99	1.05	-0.30	-0.43	76	2.1	4.2	3189
HO840003272026314	LADYS-MANOR OWEN OWEN-ET	Semex		2405	12.0	72	134	341	78	2.74	3.8	0.2	6.9	-0.3	1.69	1.79	0.61	0.00	77	2.6	3.6	3189
HO840003272407268	HILMAR PERTH 1526-ET	Semex		2405	12.1	59	130	318	78	2.54	6.8	3.1	10.1	0.5	1.07	1.59	0.30	-0.61	76	1.7	4.1	3189
HO840003280021537	SSI-SIEMERS 47423	Select		2406	11.8	61	130	316	79	2.73	5.0	0.7	7.4	1.1	1.56	2.00	0.47	-0.16	78	2.4	4.0	3189
HO840003283225800		SexTech		2405	11.5	71	140	369	78	2.78	6.1	0.6	6.3	0.9	0.51	1.48	-0.47	-1.81	76	2.0	5.2	3189
HO840003283239666	PEAK 89002-ET	PEAK		2405	12.8	67	110	271	78	2.64	7.2	3.4	13.2	1.4	1.27	1.69	0.48	1.04	76	1.8	4.2	3188
HO840003289305250	DENOVO 23035	ABS		2406	11.9	58	139	337	78	2.74	6.4	1.9	6.4	0.7	1.50	1.58	0.21	-0.73	76	2.3	4.7	3188
HO840003231687917	JOLUDI-D OWEN 12098-ET	Semex		2404	11.5	75	130	337	78	2.88	3.7	-1.1	5.3	0.4	1.99	1.74	0.67	0.23	77	2.4	4.0	3187
HO840003252545054		SexTech		2404	12.0	72	142	366	78	2.92	5.5	0.5	5.6	0.5	1.09	1.38	-0.13	-1.40	77	1.6	4.8	3187
HO840003280021197	SSI-SIEMERS 47083	Select		2405	11.1	62	140	339	78	2.70	6.0	1.2	7.3	1.4	0.78	1.00	0.35	-0.56	76	2.0	3.8	3187
HO840003280021349	SSI-SIEMERS 47235	Select		2405	12.1	54	138	325	78	2.67	5.3	1.4	7.1	0.5	1.65	1.66	1.09	-0.50	76	1.9	4.1	3187
HO840003286461526	AOT 1666	Select		2405	12.5	65	120	300	78	2.80	5.7	-0.4	5.9	1.0	2.05	2.43	0.39	-0.12	76	1.9	3.9	3187
HO840003283437755		SexTech		2406	12.8	61	130	335	78	2.94	6.6	2.3	3.4	2.4	0.96	1.46	0.09	-1.92	76	1.6	3.6	3186
HO840003258837099	COOKIECUTTER 92219	Semex		2405	11.8	59	132	320	78	2.50	5.2	0.0	10.3	0.7	1.23	1.77	0.50	-0.36	77	2.0	4.2	3185
HO840003277629479	DUCKETT 171	Select		2405	11.3	53	113	233	78	2.69	5.2	0.2	8.9	2.0	2.55	2.53	1.47	1.23	76	2.1	4.5	3185
HO840003280021149	SIEMERS 47035	Semex		2405	11.9	78	111	320	78	2.74	5.9	-0.2	7.5	-0.4	2.08	2.14	0.78	-0.97	76	1.9	3.9	3185
HO840003283492460	SSI-DUCKETT 7899	Select		2405	11.4	64	121	312	78	2.64	6.5	0.8	10.4	1.6	0.94	1.49	0.79	-0.44	76	2.1	4.7	3184
HO840003272457207	PEAK 8823-ET	PEAK		2405	12.1	62	130	333	78	2.60	7.7	3.0	7.9	1.5	0.46	1.18	-0.32	-0.72	76	1.5	3.9	3183
HO840003283225830		SexTech		2405	11.7	77	148	376	78	2.86	5.4	1.7	7.5	0.6	0.38	0.74	-0.66	-0.93	76	1.8	4.9	3183
HO840003258837073	COOKIECUTTER 92193	Semex		2405	11.7	66	138	323	78	2.78	3.9	0.1	4.7	0.0	1.64	2.16	0.48	0.07	76	1.8	3.5	3182
HO840003269152526		ABS		2405	11.7	69	129	360	78	2.68	7.5	3.2	6.3	-0.3	0.96	1.09	0.67	-1.77	76	2.1	3.7	3182
HO840003271807637	AURORA 1471	Select		2405	12.0	63	114	301	78	2.68	6.0	1.8	8.2	0.3	2.22	2.42	0.36	-0.59	76	1.7	4.0	3182
HO840003272407270	HILMAR PERTH 1528-ET	Semex		2405	12.2	57	131	336	78	2.58	6.8	1.8	9.6	0.9	1.07	1.64	-0.01	-1.10	76	2.1	4.5	3182
HO840003283437706		SexTech		2405	11.0	72	125	327	78	2.73	6.0	1.3	4.4	1.1	1.28	1.40	0.43	-0.79	77	2.1	5.0	3182
HO840003283492487	SSI-DUCKETT 7926	Select		2405	12.3	65	138	345	78	2.83	5.3	-2.1	5.0	0.4	1.64	2.04	0.51	-0.79	76	1.9	5.2	3182
HO840003280021319	SIEMERS 47205	Select		2405	10.8	68	111	297	78	2.58	6.3	0.5	6.6	0.6	2.15	1.96	0.70	-0.56	76	2.2	4.1	3181
HO840003282838153		ABS		2404	11.7	53	150	335	78	2.97	4.1	2.3	4.0	0.3	1.89	2.09	0.76	-0.88	76	2.0	5.2	3181
HO840003283225829		SexTech		2405	12.0	64	143	333	78	2.79	4.5	-1.3	5.9	-0.2	1.67	2.29	0.41	-0.67	76	2.0	5.1	3181
HO840003283239764	PEAK 89100-ET	PEAK		2406	12.4	75	130	347	78	2.81	6.1	0.2	8.0	0.5	1.11	0.98	0.67	-0.48	76	2.0	4.2	3181
HO840003283240276	PEAK 20761-ET	PEAK		2405	12.6	73	124	344	78	2.65	6.4	1.5	8.0	-0.2	1.57	1.01	0.78	-0.55	76	1.5	4.3	3181
HOUSA00031WFH5623		SexTech		2404	12.0	73	118	324	78	2.72	6.3	1.7	5.0	-0.1	1.82	1.96	0.60	-1.19	77	2.0	5.0	3181
HO840003252545204	551HO06247	SexTech		2405	12.1	54	126	315	78	2.49	8.6	3.5	9.6	1.8	0.69	1.15	0.27	-1.82	77	2.6	5.4	3180
HO840003252545278		SexTech		2405	12.0	68	129	343	79	2.76	6.1	1.2	4.3	0.3	1.67	1.81	-0.25	-1.55	77	1.3	4.0	3180
HO840003258837069	COOKIECUTTER 92189	Semex		2405	10.9	83	126	343	78	2.77	4.7	0.1	4.3	-0.3	1.80	1.56	-0.30	-0.41	76	1.7	3.1	3180

Registration Number	Name	Requester	NAAB code	Birth Date		Yield											Type					
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003283239772	PEAK 89108-ET	PEAK		2406	12.6	73	127	356	78	2.74	6.0	0.3	7.7	0.9	0.90	1.50	-0.32	-1.03	76	1.9	4.3	3180
HO840003287657168	ADAWAY CASING 3909-ET	Semex		2404	11.2	72	134	354	78	2.80	4.7	0.1	5.9	0.9	1.09	1.05	0.51	-1.01	76	1.7	3.6	3180
HO840003287871419		Select		2406	13.0	69	132	337	78	2.75	5.5	1.3	7.6	1.3	1.06	0.74	0.86	-0.22	77	2.0	4.9	3180
HO840003258837090	COOKIECUTTER 92210	Semex		2405	11.3	63	119	285	78	2.67	5.2	2.8	7.5	1.2	1.44	2.01	0.60	0.15	76	1.9	3.5	3179
HO840003272446730		Select		2404	11.7	79	113	332	78	2.51	6.8	0.2	9.8	0.7	0.90	1.13	0.11	-0.57	76	1.6	3.8	3179
HO840003283225817		SexTech		2405	12.1	87	122	369	78	2.98	5.3	1.1	1.6	-0.7	1.94	1.75	0.37	-1.80	76	2.6	5.4	3179
HO840003283492485	SSI-DUCKETT 7924	Select		2405	12.4	61	134	324	78	2.71	5.6	-1.2	6.3	-0.1	1.92	2.29	0.66	-0.40	76	2.1	5.0	3179
HO840003272026309	LADYS-MANOR SUNDAN 1574-ET	Select		2404	12.0	62	108	284	78	2.63	6.2	1.0	13.7	0.8	1.81	2.36	0.73	0.02	76	1.6	4.5	3178
HO840003280021018		Zoetis		2405	11.2	62	107	278	78	2.75	6.0	1.2	7.9	2.2	1.74	2.17	0.82	-0.01	77	1.9	4.3	3178
HO840003283145297		Select		2405	11.8	55	121	281	78	2.65	6.5	1.4	9.6	1.7	1.98	2.01	-0.07	0.62	76	2.0	4.3	3178
HO840003283492464	SSI-DUCKETT 7903	Select		2405	11.3	61	126	338	78	2.66	6.3	1.9	7.4	1.7	0.93	1.13	0.80	-0.75	76	2.3	5.0	3178
HO840003283536146	HENDEL 1139	Select		2405	12.8	63	129	323	78	2.73	6.1	2.7	8.5	1.3	1.02	1.45	0.32	-0.25	76	1.9	5.4	3178
HO840003253986066	PLAIN-KNOLL 11530	Select		2405	11.1	82	113	322	78	2.72	6.4	1.8	9.8	1.0	0.88	0.90	0.45	0.12	76	1.5	4.0	3177
HO840003271807642	AURORA 1476	Select		2405	11.6	62	115	290	78	2.63	7.2	2.7	7.3	1.4	1.55	1.84	0.25	-0.31	76	2.2	4.4	3177
HO840003274830797	PEN-COL LOCKSTEP 1275-ET	PEAK		2404	12.0	69	141	376	78	2.87	6.1	3.2	7.0	0.8	0.31	0.87	-0.18	-2.39	76	1.8	3.8	3177
HO840003282838189		ABS		2405	12.4	56	124	317	78	2.72	7.3	4.6	9.5	0.9	1.21	1.55	0.83	-1.33	77	2.1	4.9	3177
HO840003283144895	OCD CASTING REVERE-ET	Semex		2405	11.8	70	148	341	78	2.89	3.1	-0.9	3.0	-1.3	2.41	2.30	0.46	0.56	77	2.3	5.3	3177
HO840003283239690	PEAK 89026-ET	PEAK		2405	12.5	81	147	385	78	2.98	5.1	0.4	3.7	-0.9	1.11	1.28	-0.16	-1.10	76	2.0	4.1	3177
HO840003283239715	PEAK 89051-ET	PEAK		2405	13.0	70	137	356	78	2.79	4.9	-1.2	7.1	0.6	1.14	1.62	0.06	-1.00	76	2.2	4.8	3177
HO840003285651904	OCD 59261	Semex		2405	12.4	71	125	304	78	2.68	5.3	2.2	6.8	-0.4	1.92	1.62	0.87	0.35	76	2.0	4.0	3177
HO840003285651975	OCD OWEN 59332-ET	Semex		2405	11.6	67	115	295	78	2.60	5.6	0.3	9.9	1.2	1.50	1.84	0.50	0.48	76	2.4	3.7	3177
HO840003287922350	DENOVO 7797	ABS		2405	12.1	53	118	299	78	2.70	7.8	5.2	6.4	2.0	1.08	1.63	0.59	-1.17	76	1.7	4.1	3177
HO840003267673027	ADAWAY CASING 3899-ET	Semex		2404	12.3	76	116	333	78	2.80	4.7	-0.3	4.6	0.4	2.07	1.83	0.83	-0.70	76	2.6	4.5	3176
HO840003280021336	SSI-SIEMERS 47222	Select		2405	12.3	71	131	357	78	2.70	5.6	0.7	7.4	0.0	1.13	1.26	0.54	-1.50	76	1.6	4.2	3176
HO840003280021416	SSI-SIEMERS 47302	Select		2406	11.9	64	123	337	78	2.77	6.2	1.3	7.3	1.2	1.31	1.67	0.50	-1.02	77	2.4	4.9	3176
HO840003283437668		SexTech		2405	11.3	85	126	381	78	2.95	5.4	1.7	2.8	-1.2	1.62	1.58	0.57	-1.28	77	2.4	4.7	3176
HO840003284345420		Semex		2405	11.8	81	128	360	78	2.99	3.8	-0.2	3.9	0.2	1.55	1.51	1.11	-0.41	76	2.3	5.4	3176
HO840003285538470	KINGS-RANSOM 51020	Semex		2405	11.3	80	118	349	78	2.84	5.7	-0.2	5.8	0.6	1.32	1.51	0.56	-0.48	77	2.4	4.6	3176
HO840003286741932	PEAK 2932-ET	PEAK		2405	11.5	65	107	267	78	2.47	7.3	1.3	10.9	1.6	1.55	1.74	0.46	0.48	77	2.3	4.9	3176
HO840003280021190	SSI-SIEMERS 47076	Select		2405	12.3	79	109	335	78	2.76	7.3	1.3	7.7	2.1	0.47	1.05	0.04	-1.30	76	1.9	3.9	3175
HO840003283437754		SexTech		2406	12.1	77	112	328	79	2.82	5.0	0.8	7.1	-0.1	1.80	2.02	0.85	-1.03	78	1.5	3.7	3175
HO840003271807636	AURORA 1470	Semex		2405	12.1	59	128	312	79	2.58	7.1	1.0	8.4	0.7	1.45	1.71	0.12	-0.43	77	2.2	4.3	3174
HO840003282838171		GenVis		2404	12.3	63	112	301	78	2.63	7.1	3.2	9.0	1.6	1.30	1.88	-0.06	-0.66	77	2.0	5.1	3174
HO840003289305241	DENOVO 23026	ABS		2406	12.2	76	141	369	78	2.68	5.9	1.6	7.7	-0.2	0.62	0.83	-0.13	-0.04	77	2.0	5.2	3174
HO840003252545198		SexTech		2405	10.8	68	151	376	79	2.83	4.4	-0.6	4.2	-0.4	1.32	1.29	0.45	-0.89	79	2.5	4.6	3173
HO840003252545254		SexTech		2405	12.3	65	120	323	78	2.71	6.4	3.2	8.0	-0.4	1.82	1.97	0.95	-1.02	77	2.5	5.4	3173
HO840003269138050	REGANCREST DRAX 16488-ET	Semex		2405	12.4	86	128	372	78	2.92	4.0	0.3	2.6	-0.9	1.72	1.86	0.18	-1.13	76	2.8	4.8	3173
HO840003271807653	AURORA 1487	Select		2405	11.7	61	119	299	78	2.62	7.0	2.0	6.8	2.5	1.13	1.04	0.33	0.16	77	1.6	4.1	3173
HO840003272407257	HILMAR 1515	Select		2404	12.2	64	123	315	78	2.84	5.3	1.3	5.2	1.2	1.83	1.85	0.29	-0.47	76	1.3	3.7	3173
HO840003272457206	PEAK 8822-ET	PEAK		2405	12.5	69	121	322	78	2.62	7.1	2.8	8.8	0.2	1.15	1.64	-0.33	-1.01	76	1.2	3.6	3173
HO840003272457212	PEAK 8828-ET	PEAK		2405	12.7	78	108	303	78	2.71	6.1	0.8	8.2	1.2	1.78	1.47	0.18	0.37	77	2.2	4.6	3173
HO840003283239656	PEAK 88992-ET	PEAK		2405	12.2	62	143	337	78	2.68	5.4	0.9	6.3	0.8	1.17	1.33	-0.07	-0.08	76	2.2	5.0	3173
HO840003285651976	OCD OWEN 59333-ET	Semex		2405	11.8	70	138	345	78	2.76	5.2	-0.5	8.6	-0.4	1.25	1.57	0.47	-0.56	77	2.1	4.1	3173
HO840003286461539	KINGR 1679	Select		2405	12.3	69	144	372	78	2.68	6.0	2.1	8.8	0.0	0.77	0.62	-0.14	-0.71	76	1.8	4.5	3173
HO840003252545245		SexTech		2405	11.4	71	139	364	79	2.80	5.3	0.8	5.0	0.5	1.07	1.19	-0.09	-0.59	78	2.8	4.4	3172
HO840003253986051	PLAIN-KNOLL 11515	Select		2404	12.3	81	144	362	79	3.03	2.9	-1.5	1.1	-1.2	1.99	1.58	1.16	0.30	77	2.9	3.7	3172
HO840003269138052	REGANCREST DRAX 16490-ET	Semex		2405	12.1	79	129	361	78	2.91	4.8	0.1	2.4	-0.1	1.44	1.85	0.30	-1.39	76	2.7	4.7	3172
HO840003283225820		SexTech		2405	12.4	67	124	319	78	2.76	5.9	0.7	6.7	1.4	1.16	1.49	0.58	-1.06	77	2.0	4.4	3172
HO840003283536143	HENDEL 1136	Select		2405	12.6	70	120	301	78	2.79	6.1	2.9	8.3	0.7	1.39	1.49	0.63	0.05	76	1.7	3.9	3172
HO840003280021243	SSI-SIEMERS 47129	Select		2405	12.0	79	137	365	78	2.94	5.0	0.9	3.3	-0.6	1.42	1.78	-0.01	-1.25	76	2.8	5.5	3171
HO840003283239780	PEAK 89116-ET	PEAK		2406	12.5	70	113	292	77	2.60	8.0	3.1	10.3	1.3	1.04	1.00	0.42	0.79	76	2.3	4.3	3171
HO840003283437639		SexTech		2405	12.1	73	111	322	78	2.82	6.8	3.3	6.0	2.1	0.80	1.34	0.24	-1.39	77	2.3	4.7	3171
HO840003258837074	COOKIECUTTER 92194	Semex		2405	12.2	64	136	331	78	2.70	4.8	1.0	8.2	1.5	0.71	1.22	0.16	-0.11	76	1.9	4.2	3170

Registration Number	Name	Requester	NAAB code	Birth Date		Yield											Type					
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003258837104	COOKIECUTTER 92224	Semex		2405	11.9	70	123	330	78	2.84	4.2	0.0	7.9	0.3	1.75	1.67	1.28	-0.57	77	2.1	4.0	3170
HO840003272026311	LADYS-MANOR PACE PACE-ET	Select		2405	11.7	54	130	295	78	2.79	4.0	-0.7	6.0	0.4	2.63	2.57	1.21	0.33	77	2.1	5.0	3170
HO840003280021366	SIEMERS 47252	Semex		2406	11.4	74	104	291	79	2.71	5.8	0.4	5.5	1.2	1.62	2.01	0.74	0.40	77	1.3	3.2	3170
HO840003283239707	PEAK 89043-ET	PEAK		2405	12.1	78	136	371	77	2.75	6.0	1.8	5.7	-0.1	0.60	0.91	-0.33	-1.30	76	1.7	3.4	3170
HO840003252545149		SexTech		2405	12.3	73	123	350	78	2.93	5.3	1.3	6.3	0.6	1.36	1.84	0.26	-1.61	77	2.8	4.8	3169
HO840003252545192		SexTech		2405	12.5	63	125	318	78	2.77	6.1	2.1	5.3	1.8	1.37	1.24	0.63	-0.59	76	2.4	5.3	3169
HO840003259826851		SexTech		2405	11.8	68	131	349	78	2.72	6.3	1.0	8.1	0.4	1.04	1.32	0.24	-1.63	76	1.9	5.0	3169
HO840003283239678	PEAK 89014-ET	PEAK		2405	12.2	78	138	378	78	2.77	5.3	-1.4	5.7	-0.3	1.02	1.30	0.17	-1.42	77	2.6	5.4	3169
HO840003283492512	SSI-DUCKETT 7951	Select		2405	12.1	68	109	301	78	2.65	6.7	2.0	8.6	2.4	0.78	1.35	0.42	0.12	76	1.9	4.4	3169
HO840003267561602	PINE-TREE 9305 MIRR 291-ET	HO		2405	12.9	70	150	394	79	2.74	4.9	0.5	7.2	-0.9	0.83	1.46	-0.08	-1.54	78	2.9	6.3	3168
HO840003272407258	HILMAR DISRUPTOR 1516-ET	Semex		2404	11.5	64	118	318	78	2.70	6.6	2.9	9.8	0.6	1.17	1.22	1.26	-0.91	76	2.0	3.2	3168
HO840003272446735		Select		2405	11.8	76	132	329	78	2.57	4.8	-1.2	7.7	-1.1	2.00	1.56	0.36	0.51	76	2.6	4.9	3168
HO840003282838170	WINSTAR 5728	Select		2404	12.7	65	126	335	78	2.69	6.9	3.4	7.2	0.6	1.11	1.33	-0.06	-0.77	76	1.6	4.2	3168
HO840003283145224	OCD 72134	Select		2404	11.4	66	133	333	78	2.78	5.9	1.6	7.0	0.8	1.04	1.40	0.05	-0.28	76	2.5	3.7	3168
HO840003283239692	PEAK 89028-ET	PEAK		2405	11.8	69	154	395	78	2.78	5.7	3.1	9.0	-1.5	0.78	0.75	0.12	-1.12	76	1.7	5.0	3168
HO840003287922394	DENOVO 7841	ABS		2405	12.6	74	119	333	78	2.73	6.6	1.1	8.1	1.5	1.01	0.76	0.22	-0.77	76	2.3	3.7	3168
HO840003272457237	PEAK 8853-ET	PEAK		2406	13.4	66	121	317	78	2.60	6.5	-1.6	7.7	1.2	1.23	1.91	0.09	-0.26	76	2.3	4.8	3167
HO840003236266889	DENOVO 6889	ABS		2405	12.9	65	123	320	78	2.76	7.3	2.6	7.6	1.5	1.04	1.15	0.35	-0.60	76	2.5	4.9	3166
HO840003258837086	COOKIECUTTER 92206	Semex		2405	11.6	86	133	377	78	2.93	4.3	-0.8	2.9	0.3	1.09	1.08	-0.07	-0.39	76	2.2	4.4	3166
HO840003272457213	PEAK 8829-ET	PEAK		2405	12.0	83	149	398	77	2.98	4.1	0.8	4.9	-1.5	1.06	1.38	-0.48	-1.04	76	1.7	4.5	3166
HO840003280021164	SSI-SIEMERS 47050	Select		2405	12.9	69	128	333	78	2.70	5.7	1.2	7.1	0.7	1.27	1.39	0.14	-0.28	76	2.6	4.9	3166
HO840003283145295		Select		2405	11.7	59	122	312	78	2.58	7.1	1.5	10.0	1.3	1.39	1.52	-0.03	-0.41	76	2.3	4.9	3166
HO840003283225804		SexTech		2405	12.0	79	132	366	79	2.90	4.5	-0.1	8.2	-0.4	0.97	1.30	0.69	-1.05	77	1.7	3.8	3166
HO840003283239659	PEAK 88995-ET	PEAK		2405	11.2	65	122	329	78	2.81	6.5	1.6	5.4	1.7	1.08	1.83	-0.36	-1.75	77	1.8	4.5	3166
HO840003283239725	PEAK 89061-ET	PEAK		2405	12.5	72	132	333	77	2.85	5.9	1.5	6.8	1.0	0.90	1.22	-0.28	-0.86	76	1.3	4.0	3166
HO840003252545259		SexTech		2405	12.1	58	132	293	78	2.60	6.0	0.6	7.0	0.8	1.46	1.78	0.36	0.05	77	1.3	4.5	3165
HO840003272446734		Select		2404	12.9	76	119	348	79	2.97	5.3	0.4	6.8	0.9	1.22	1.27	1.09	-1.23	78	1.9	4.2	3165
HO840003278709255	SSI-BERRYRIDGE 6347	Select		2405	11.5	64	122	304	78	2.63	6.3	1.1	11.0	0.6	1.60	1.44	0.44	0.20	76	2.2	4.0	3165
HO840003283437674		SexTech		2405	12.1	90	119	363	78	2.79	5.6	0.6	3.5	-0.4	1.38	1.41	0.08	-1.21	77	2.7	6.2	3165
HO840003287922315	ABS 7762	ABS		2405	12.5	67	134	353	78	2.76	5.6	-0.1	6.3	1.0	0.93	1.31	-0.05	-1.09	76	2.3	3.8	3165
HO840003287922399	DENOVO 7846	ABS		2406	11.8	77	139	354	78	2.92	4.8	0.5	4.1	-0.9	1.67	1.54	0.41	-0.20	76	2.4	5.0	3165
HO840003252545146		SexTech		2405	12.0	78	109	328	79	2.83	7.2	1.4	7.5	1.1	1.08	1.49	0.38	-1.85	78	2.4	5.2	3164
HO840003252545160		SexTech		2405	12.1	59	131	300	79	2.79	5.0	1.5	8.5	0.6	1.79	2.06	0.18	-0.24	77	2.2	3.9	3164
HO840003252545263		SexTech		2405	12.5	72	111	318	78	2.76	5.9	2.2	6.7	-0.3	1.94	2.04	1.19	-0.68	77	2.4	5.6	3164
HO840003254468580	PEN-COL LOCKSTEP 7470-ET	PEAK		2404	12.4	65	129	330	78	2.72	6.9	4.3	8.8	0.3	0.88	1.28	-0.03	-0.85	76	1.7	3.9	3164
HO840003272382366		Zoetis		2403	12.4	63	127	335	79	2.59	6.8	0.6	8.5	0.4	1.22	1.38	0.29	-0.94	77	1.4	4.3	3164
HO840003280021148	SSI-SIEMERS 47034	Select		2405	12.6	63	148	345	78	2.86	4.9	-0.8	7.6	0.5	0.96	1.12	0.82	-0.49	76	2.1	4.2	3164
HO840003283492463	SSI-DUCKETT 7902	Select		2405	12.6	60	134	327	78	2.63	6.0	0.2	6.8	0.6	1.47	1.39	0.49	-0.36	76	2.9	4.3	3164
HO840003287922401	DENOVO 7848	ABS		2406	12.6	72	153	372	78	2.90	5.2	1.0	3.9	-1.3	1.31	1.07	0.36	-0.54	76	2.3	3.9	3164
HO840003272446690		Select		2405	11.7	70	125	336	78	2.82	6.0	0.6	6.1	-0.8	1.88	2.04	0.75	-0.38	77	2.7	4.5	3163
HO840003280021292	SSI-SIEMERS 47178	Select		2405	12.5	83	116	350	78	2.79	5.5	0.1	2.6	0.5	1.37	1.23	0.64	-0.59	76	2.7	4.3	3163
HO840003280021455	SSI-SIEMERS 47341	Select		2406	12.2	69	119	319	78	2.75	6.1	-0.1	6.5	0.3	1.43	2.22	0.40	-0.59	76	2.1	4.2	3163
HO840003283145245		Select		2405	11.6	69	138	353	78	2.79	7.0	2.9	8.6	1.0	0.48	0.63	-0.24	-0.53	76	2.4	5.5	3163
HO840003283239720	PEAK 89056-ET	PEAK		2405	12.2	69	131	333	78	2.70	7.5	3.1	8.4	1.7	0.13	0.63	-0.53	-0.86	76	1.4	4.2	3163
HO840003286320182		ABS		2404	12.0	72	120	325	78	2.70	6.8	2.0	10.0	-0.3	1.36	1.18	0.60	-0.65	76	1.6	3.1	3163
HO840003254468585	PEN-COL LOCKSTEP 7475-ET	PEAK		2405	12.3	73	131	376	78	2.77	5.8	1.7	4.7	0.1	0.80	1.23	-0.19	-1.83	76	1.5	3.5	3162
HO840003270391611		Select		2405	12.7	65	109	288	78	2.56	7.1	1.6	6.9	1.3	1.58	1.70	0.46	-0.58	76	1.2	4.8	3162
HO840003280021500	SIEMERS 47386	Select		2406	11.6	57	123	288	78	2.54	6.6	2.3	11.4	0.6	1.73	1.88	-0.43	-0.14	76	1.3	4.0	3162
HO840003283145317		Select		2405	12.6	62	126	317	78	2.73	6.5	2.9	6.9	0.6	1.08	1.85	0.48	-0.69	77	2.5	5.0	3162
HO840003283239637	PEAK 88973-ET	PEAK		2405	12.6	67	117	312	78	2.85	6.5	2.2	8.9	1.7	1.07	1.10	0.84	-0.67	76	1.3	4.1	3162
HO840003285128277	SILVER-ELITE DSRPT 90136-ET	Zoetis		2405	12.4	77	127	355	79	2.78	5.9	1.3	8.8	-1.8	1.42	1.33	0.98	-0.82	76	1.7	2.5	3162
HO840003280021538	SIEMERS 47424	Select		2406	12.2	60	116	279	78	2.70	5.4	1.1	8.8	0.2	2.54	2.49	0.44	0.45	76	2.0	4.3	3161
HO840003283225828		SexTech		2405	12.3	80	122	358	78	2.76	6.7	1.9	4.7	-1.1	1.61	1.35	0.48	-1.66	76	2.2	5.2	3161

Registration Number	Name	Requester	NAAB code	Birth Date		Yield											Type					
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003283437646		SexTech		2405	11.6	71	122	334	78	2.83	6.6	4.7	6.7	0.3	1.10	1.46	0.26	-1.32	76	2.6	5.3	3161
HO840003287922317	ABS 7764	ABS		2405	12.0	74	138	360	78	2.92	4.4	-1.7	1.3	0.7	1.39	1.51	-0.09	-0.42	76	2.2	4.0	3161
HO840003287922381	DENOVO 7828	ABS		2405	12.5	86	125	354	78	2.92	5.7	2.4	3.7	0.0	0.63	1.12	0.30	0.00	76	1.7	4.1	3161
HO840003258837054	IDEAL 92174-ET	PEAK		2405	11.3	68	124	325	78	2.78	6.7	1.5	7.5	0.8	1.30	0.93	0.81	-0.31	76	1.7	4.1	3160
HO840003280021256	SSI-SIEMERS 47142	Select		2405	12.0	88	118	350	78	2.95	5.1	0.0	5.8	-0.6	1.59	1.20	1.13	-0.71	76	2.3	4.2	3160
HO840003280021387	SSI-SIEMERS 47273	Select		2405	11.7	65	122	293	78	2.44	5.9	-0.8	11.4	0.7	1.62	1.49	0.09	0.22	76	2.0	4.7	3160
HO840003280021467	SSI-SIEMERS 47353	Select		2406	11.8	57	115	274	78	2.69	6.8	3.4	9.3	1.2	1.85	1.88	0.79	0.44	76	2.1	5.7	3160
HO840003282852878	FLY-HIGHER 1021	Select		2405	12.1	62	112	291	78	2.82	7.1	3.2	9.2	2.1	1.23	1.39	0.73	-0.39	77	2.1	4.5	3160
HO840003283225842		SexTech		2405	12.5	61	126	323	78	2.76	6.9	3.1	7.8	1.3	0.62	1.60	0.04	-1.23	76	2.1	3.9	3160
HO840003284345320		Semex		2405	11.6	75	123	335	78	2.71	4.7	1.4	8.9	-0.7	1.41	1.53	1.00	-0.37	76	2.0	4.6	3160
HO840003285538467	KINGS-RANSOM 51017	Semex		2405	11.0	70	104	280	78	2.66	4.2	-0.1	7.6	-0.2	2.85	2.41	1.44	0.80	77	2.4	4.3	3160
HO840003280021300	SSI-SIEMERS 47186	Select		2405	11.9	44	136	304	78	2.66	6.0	1.3	10.8	0.9	1.41	1.71	1.06	-0.50	76	1.7	3.9	3159
HO840003280021359	SIEMERS 47245	Select		2405	12.0	67	102	303	78	2.70	6.7	2.8	9.7	2.6	0.68	1.50	0.39	-0.85	76	1.8	4.4	3159
HO840003283145275	OCD 72185	Semex		2405	11.5	60	121	317	78	2.64	6.5	0.5	8.4	1.7	0.81	1.69	0.25	-0.93	76	2.5	3.8	3159
HO840003285651978	OCD OWEN 59335-ET	Semex		2405	11.9	77	136	369	78	2.85	3.7	-1.1	2.3	0.2	1.46	1.07	0.50	-1.43	77	2.7	3.7	3159
HO840003287922314	DENOVO 7761	ABS		2405	12.6	69	105	302	78	2.68	7.5	2.0	10.2	1.2	1.44	1.33	0.64	-0.38	76	1.5	4.4	3159
HO840003272026304	LADYS-MANOR 1569	Select		2404	12.1	66	114	338	78	2.73	6.2	1.8	10.3	0.9	1.12	1.59	0.55	-1.24	76	2.0	4.6	3158
HO840003272407272	HILMAR PERTH 1530-ET	Semex		2405	11.8	60	135	323	79	2.69	4.8	2.1	7.4	0.2	1.47	1.61	0.48	0.16	77	1.8	4.7	3158
HO840003272945960		SexTech		2403	11.8	65	118	298	79	2.62	6.7	1.9	8.6	2.1	1.20	0.90	0.23	-0.69	78	2.0	5.0	3158
HO840003280021177	SSI-SIEMERS 47063	Select		2405	12.3	72	119	325	78	2.66	6.9	3.5	7.8	0.8	0.59	0.92	0.63	0.22	76	2.7	4.1	3158
HO840003283239766	PEAK 89102-ET	PEAK		2406	12.9	66	129	343	78	2.78	5.7	0.5	5.4	1.6	1.08	0.95	0.33	-1.31	76	1.9	4.2	3158
HO840003285651951	OCD OWEN 59308-ET	Semex		2405	11.3	64	127	323	78	2.66	6.2	2.9	9.0	0.5	1.08	1.12	0.64	-0.47	77	2.0	4.5	3158
HO840003239751785	WITTENBERG 657	Select		2405	12.4	80	134	340	78	2.85	4.9	-0.8	6.1	-1.2	1.84	1.24	0.71	0.13	77	2.1	3.8	3157
HO840003270391615		Select		2405	12.2	80	115	351	78	2.81	6.2	0.9	8.0	0.8	0.93	1.23	-0.17	-1.63	76	1.8	4.1	3157
HO840003271807654	AURORA 1488	Select		2405	11.8	68	118	302	78	2.79	4.7	1.1	5.6	-0.4	2.34	2.56	0.59	0.15	76	2.0	4.9	3157
HO840003280699624	TRIFECTA 40264	Select		2404	12.0	75	132	331	78	2.69	4.2	-2.2	6.5	-0.1	1.53	1.69	0.00	-0.17	76	1.7	4.2	3157
HO840003283239695	PEAK 89031-ET	PEAK		2405	13.5	74	125	331	78	2.71	5.9	2.1	5.8	0.7	1.11	0.87	0.52	-0.55	76	2.3	5.2	3157
HO840003284345436		Semex		2405	13.3	95	122	370	79	2.94	3.7	-2.5	3.4	-1.9	2.02	1.83	0.49	-0.06	78	1.6	3.8	3157
HO840003287922374	DENOVO 7821	ABS		2405	12.2	69	120	317	78	2.73	7.0	1.6	8.5	0.3	1.30	1.27	0.67	-0.70	76	1.7	3.8	3157
HO840003252524150	WELCOME 5650	Select		2405	11.9	76	121	347	78	2.75	6.1	0.4	8.0	0.9	1.06	1.26	-0.51	-0.72	76	2.0	4.5	3156
HO840003271807651	AURORA 1485	Semex		2405	11.8	59	120	297	78	2.68	5.8	0.7	7.4	1.3	1.42	1.89	0.84	-0.50	76	2.1	4.5	3156
HO840003280021250	SSI-SIEMERS 47136	Select		2405	12.3	58	115	291	78	2.63	6.3	1.4	10.0	1.5	1.30	1.65	0.66	-0.48	76	1.7	3.2	3156
HO840003283225835		SexTech		2405	11.8	81	110	353	78	2.82	7.3	3.5	7.6	0.2	1.07	1.22	0.18	-2.03	76	2.2	5.8	3156
HO840003283239740	PEAK 89076-ET	PEAK		2405	11.5	76	133	328	78	2.66	6.5	0.5	6.6	0.7	0.80	0.59	-0.06	0.25	77	2.5	4.2	3156
HO840003283536136	HENDEL 1129	Select		2404	11.7	68	111	308	78	2.72	5.4	0.2	7.2	0.8	1.80	1.91	0.68	-0.85	76	1.9	3.7	3156
HO840003283239785	PEAK 89121-ET	PEAK		2406	12.0	67	137	340	77	2.62	5.1	1.4	6.6	0.3	0.85	1.26	-0.08	-0.63	76	2.5	4.1	3155
HO840003289305243	DENOVO 23028	ABS		2406	12.3	65	139	342	78	2.74	7.2	4.4	5.9	-1.4	1.29	1.01	0.67	-0.05	76	1.6	3.5	3155
HO840003267561597	COOKIECUTTER PT SUN 286-ET	HO		2405	11.9	59	114	273	78	2.61	7.4	4.8	11.7	2.5	0.88	1.11	-0.07	0.01	76	2.3	4.9	3154
HO840003272457241	PEAK 8857-ET	PEAK		2406	11.9	68	135	348	78	2.62	5.8	-0.8	7.7	-1.8	1.59	2.25	0.21	-0.44	76	2.5	5.0	3154
HO840003280021180	SSI-SIEMERS 47066	Select		2405	12.5	65	134	343	78	2.82	6.0	1.6	7.5	-0.6	1.41	1.72	0.37	-1.37	76	2.4	4.3	3154
HO840003282838185		ABS		2405	11.8	60	128	328	78	2.79	6.5	5.0	9.5	-0.4	1.53	1.32	0.99	-1.25	77	1.6	5.3	3154
HO840003283145255		SexTech		2405	11.9	57	112	315	78	2.73	6.9	1.3	7.3	2.4	0.88	1.94	0.26	-2.02	77	2.0	4.2	3154
HO840003283239736	PEAK 89072-ET	PEAK		2405	12.6	65	131	335	78	2.87	5.8	0.0	6.4	2.6	0.46	1.10	-0.42	-1.29	76	1.5	3.5	3154
HO840003283596479	SHELAND PERTH 9648-ET	Semex		2406	12.1	60	119	287	78	2.76	4.8	0.4	6.8	1.2	1.80	2.24	0.66	0.49	76	1.9	3.9	3154
HO840003287922369	DENOVO 7816	ABS		2405	12.3	70	127	310	78	2.79	5.7	1.9	6.2	0.1	1.66	1.45	0.47	0.06	76	2.5	4.4	3154
HO840003283144957	OCD OWEN 23867-ET	Semex		2405	12.0	71	124	328	78	2.75	4.8	-0.1	7.2	0.7	1.24	1.40	0.63	-0.36	76	2.0	4.2	3153
HO840003283145278		Select		2405	11.6	63	120	336	78	2.86	7.0	1.9	7.9	2.7	0.57	0.73	0.36	-1.07	76	1.9	3.8	3153
HO840003283437615		SexTech		2405	11.1	63	137	326	78	2.60	6.0	1.3	10.9	-0.3	1.12	1.33	0.19	-0.41	76	1.7	5.1	3153
HO840003285651950		SexTech		2405	12.3	75	128	358	78	2.84	6.4	1.5	5.9	0.1	0.74	1.19	0.10	-1.59	77	2.1	3.6	3153
HO840003230499528	SHELAND 9486	Select		2404	11.3	56	137	331	78	2.83	5.2	2.0	4.5	0.3	1.50	1.76	0.93	-0.40	77	2.8	4.5	3152
HO840003236266890	DENOVO 6890	ABS		2405	12.4	60	113	281	78	2.68	7.9	4.3	7.2	1.7	1.01	1.41	0.42	0.19	76	1.7	3.6	3152
HO840003272622094	PEAK 40337-ET	PEAK		2405	11.2	66	133	353	78	2.62	6.4	2.3	8.3	0.9	0.23	0.87	-0.52	-0.54	76	1.0	3.3	3152
HO840003280021278	SSI-SIEMERS 47164	Select		2405	11.8	61	129	323	78	2.66	6.4	2.0	8.1	0.3	1.20	1.44	0.57	0.05	76	2.4	4.7	3152

Registration Number	Name	Requester	NAAB code	Birth Date		Yield											Type					
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003283239732	PEAK 89068-ET	PEAK		2405	12.4	71	129	336	78	2.82	5.5	-0.3	4.2	0.9	1.33	1.41	0.03	-0.19	76	2.3	4.5	3152
HO840003284681124	SIMPLE-DREAMS 8498	Select		2405	12.2	70	105	312	78	2.64	7.8	3.5	7.4	2.2	0.20	1.05	-0.01	-0.81	76	1.5	2.2	3152
HO840003271807649	AURORA 1483	Semex		2405	12.2	66	111	296	79	2.68	5.8	0.2	6.8	0.9	1.70	2.15	0.51	0.15	77	2.1	4.2	3151
HO840003280021232	SIEMERS 47118	Semex		2405	11.4	66	120	318	78	2.75	5.8	2.6	7.0	0.5	0.85	1.53	1.02	-0.41	77	1.9	2.8	3151
HO840003280021481	SSI-SIEMERS 47367	Select		2406	12.4	65	127	330	78	2.79	5.4	0.4	6.5	0.7	1.01	1.67	0.66	-0.59	76	1.6	4.0	3151
HO840003280021496	SSI-SIEMERS 47382	Select		2406	12.4	64	131	333	78	2.64	6.5	2.1	7.9	0.2	1.20	1.10	0.33	-0.55	76	2.5	4.8	3151
HO840003239751784		GenVis		2405	11.6	67	108	286	79	2.83	4.9	-0.2	6.2	0.9	2.21	2.31	1.20	0.21	78	2.2	4.6	3150
HO840003252545069		SexTech		2404	12.7	68	126	334	79	2.97	5.4	0.8	6.7	0.0	1.78	1.71	0.82	-0.54	77	1.7	4.7	3150
HO840003252545281		SexTech		2405	12.2	74	119	342	78	2.73	4.8	-0.2	6.4	-0.9	2.08	2.11	0.22	-1.32	77	2.0	4.5	3150
HO840003271791943		GenVis		2404	10.8	68	124	305	79	2.81	4.7	0.1	6.1	0.5	1.54	1.70	1.12	0.67	78	2.1	4.0	3150
HO840003280021290	SSI-SIEMERS 47176	Select		2405	11.6	62	112	305	78	2.45	7.3	3.6	12.4	1.2	0.75	0.78	0.79	-0.67	76	1.9	4.1	3150
HO840003283239686	PEAK 89022-ET	PEAK		2405	13.1	76	122	346	78	2.71	5.9	2.1	6.6	-0.3	1.13	1.03	0.39	-0.53	76	1.9	3.2	3150
HO840003285651914		SexTech		2405	10.8	78	138	376	78	2.96	4.9	0.5	4.0	-0.4	1.26	1.20	0.24	-1.49	77	2.4	5.8	3150
HO840003272446710		Zoetis		2405	12.4	75	139	383	78	2.88	4.7	-0.8	4.6	-0.4	1.13	1.21	0.29	-1.61	77	2.5	4.5	3149
HO840003283145270		Select		2405	12.1	69	119	320	78	2.77	6.0	0.5	7.2	2.4	0.76	1.11	0.05	-0.79	76	2.2	4.8	3149
HO840003283437688		SexTech		2405	11.9	61	121	322	78	2.79	7.8	4.0	8.3	1.7	0.25	1.11	0.35	-1.99	77	2.1	3.2	3149
HO840003287922309	ABS 7756	ABS		2405	12.0	69	140	364	78	2.85	5.2	0.9	5.5	1.2	0.55	1.01	-0.33	-1.05	76	2.5	5.1	3149
HO840003252545209		SexTech		2405	11.0	67	129	334	79	2.80	5.1	0.5	2.4	0.8	1.51	1.47	0.39	-0.85	79	2.5	4.3	3148
HO840003280021057	SSI-SIEMERS 46943	Select		2405	11.7	64	130	349	78	2.77	6.1	0.8	9.4	0.4	0.99	1.30	0.17	-1.26	76	1.9	3.8	3148
HO840003283225852		SexTech		2405	11.6	69	128	330	78	2.69	5.9	0.5	8.8	0.0	1.07	1.78	-0.37	-0.91	76	1.8	4.2	3148
HO840003287922382	DENOVO 7829	ABS		2405	12.6	71	125	330	78	2.72	6.7	3.1	6.6	1.0	0.69	0.72	0.07	-0.14	76	1.8	4.0	3148
HO840003283239765	PEAK 89101-ET	PEAK		2406	12.8	60	142	336	78	2.75	5.9	2.0	7.0	1.3	0.86	0.71	-0.22	-0.73	76	1.9	4.2	3147
HO840003283239787	PEAK 89123-ET	PEAK		2406	12.5	65	122	330	78	2.69	6.1	0.3	7.8	1.4	1.08	1.30	0.05	-0.77	76	1.7	4.6	3147
HO840003283492449	SSI-DUCKETT 7888	Select		2405	11.9	78	117	341	78	2.81	4.8	-1.2	4.7	1.3	0.99	1.57	0.09	-0.74	76	2.4	4.2	3147
HO840003283239655	PEAK 88991-ET	PEAK		2405	12.5	88	135	382	78	2.90	5.7	0.7	7.7	-0.6	0.45	0.76	-0.56	-1.32	76	2.2	4.3	3146
HO840003283239671	PEAK 89007-ET	PEAK		2405	12.1	73	124	332	78	2.69	5.2	-1.5	6.8	0.0	1.33	1.94	0.25	-0.61	77	2.4	5.4	3146
HO840003283437676		SexTech		2405	12.0	70	130	329	78	2.63	7.2	1.5	8.1	1.1	0.16	0.72	0.07	-0.64	76	2.1	4.8	3146
HO840003283492517	SSI-DUCKETT 7956	Select		2405	11.4	42	127	284	78	2.57	6.4	2.4	9.8	1.0	1.49	2.00	0.99	-0.46	76	2.2	4.2	3146
HO840003287657163	ADAWAY PROACTIVE 3904-ET	Semex		2404	12.2	71	104	301	78	2.61	6.4	1.6	8.5	0.4	1.76	1.80	0.43	-0.56	76	2.3	4.5	3146
HO840003258243758	DENOVO 7156	ABS		2405	12.8	57	129	314	78	2.71	8.3	5.0	7.2	1.2	0.58	0.84	0.53	-1.04	76	2.0	5.0	3145
HO840003258837082	COOKIECUTTER 92202	Semex		2405	11.6	63	153	357	79	2.78	4.2	0.7	5.2	-0.2	1.01	1.41	-0.18	-0.15	77	2.6	5.0	3145
HO840003272446709	T-SPRUCE 54410	Select		2405	12.2	76	111	302	78	2.72	5.7	-0.1	8.2	1.6	0.98	1.33	0.37	0.64	76	2.2	4.4	3145
HO840003282838156		ABS		2404	11.8	63	145	320	78	2.69	5.5	3.5	9.0	-0.5	0.97	0.91	0.62	0.42	77	2.4	5.1	3145
HO840003283145307	OCD PROACTIVE 72217-ET	Semex		2405	12.6	74	136	342	78	2.81	4.4	0.8	4.7	-1.0	1.70	1.37	0.63	-0.51	76	2.2	4.8	3145
HO840003283225827		SexTech		2405	12.3	60	126	307	78	2.58	7.2	2.7	11.2	0.8	0.60	1.43	0.01	-1.10	76	1.8	5.0	3145
HO840003283239779	PEAK 89115-ET	PEAK		2406	12.3	75	133	351	78	2.73	5.6	0.6	7.5	0.0	0.88	1.02	-0.12	-0.89	76	2.2	4.7	3145
HO840003284092952	JOLUDI-D MASTERP 2-ET	Semex		2405	12.9	78	153	371	78	2.84	3.3	-3.4	4.7	-1.3	1.75	1.26	-0.57	-0.56	76	1.7	3.6	3145