



# High Ranking TPI® Genomic Young Bulls NOVEMBER 2023

Bulls with no daughters in their genomic proofs for Production or Type. No requirement for semen status.

GTPI® is a servicemark of Holstein Association USA, Inc. © 2023

Registration Number	Name	Requester	NAAB code	Birth Date			Yield											Type				
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003269891131		SexTech		2307	11.6	84	134	391	78	2.76	6.8	2.1	5.9	0.3	1.05	1.29	0.28	-2.12	76	2.0	4.4	3273
HO840003269891350		SexTech		2310	11.7	85	125	372	79	3.03	5.4	0.9	0.2	-0.6	2.53	2.57	1.26	-1.55	77	2.5	5.4	3265
HO840003220864888	CLEAR-ECHO PERKY 1906-ET	Semex		2309	11.3	62	127	300	76	2.52	6.9	1.0	8.0	1.4	1.89	2.12	0.64	-0.36	74	1.9	4.7	3258
HO840003269891066		SexTech		2307	11.6	69	157	389	78	2.95	4.0	0.9	2.6	-0.1	1.97	1.63	0.68	-0.69	77	2.5	3.7	3258
HO840003269891305		SexTech		2309	11.5	76	158	390	79	2.85	4.4	0.3	5.7	-0.8	1.65	1.64	0.00	-0.71	78	2.3	3.8	3258
HO840003273124054	OCD OUTREACH RADIOACTIVE-ET	SexTech		2309	12.0	61	123	310	78	2.70	6.5	3.6	7.9	1.5	1.81	2.09	1.37	0.00	76	2.3	5.6	3253
HO840003267429768	SIEMERS 43578	Semex		2310	11.2	74	116	351	76	2.79	7.0	2.2	9.4	1.0	1.30	1.77	0.82	-1.63	74	1.6	3.3	3247
HO840003269893942		SexTech		2310	11.2	70	144	373	79	2.74	6.3	2.3	7.6	-0.8	1.50	1.52	1.30	-1.13	77	2.3	5.7	3247
HO840003272456630	PEAK 8246-ET	PEAK		2310	11.4	72	140	331	75	2.84	5.0	2.2	6.2	0.9	1.55	1.51	0.60	0.00	73	1.8	4.3	3242
HO840003274380482	KINGR 1432	Select		2308	11.1	58	138	335	79	2.70	5.3	2.1	5.6	0.8	2.08	2.16	0.63	-0.96	77	2.6	4.5	3242
HO840003269891064		SexTech		2307	11.0	64	141	341	78	2.84	5.4	2.7	4.2	0.9	1.60	1.56	0.97	-0.66	77	2.5	4.3	3231
HO840003267561443	PINE-TREE BAYFIELD-ET	HO		2309	12.1	68	128	341	78	2.79	7.2	4.1	9.8	0.7	1.22	1.35	0.73	-0.87	77	2.3	4.3	3226
HO840003205426056	AR-JOY CU EASTON MORGAN-ET	HO		2309	11.7	82	112	352	78	2.65	6.3	1.4	7.0	-0.1	1.72	1.90	0.74	-1.14	76	2.1	5.1	3225
HO840003269891122		SexTech		2307	12.4	75	147	391	78	2.97	4.8	1.1	2.2	0.9	0.83	1.38	-0.06	-1.53	77	1.7	3.6	3224
HO840003272848352	DENOVO 21131 MDS	ABS		2309	11.5	69	136	339	78	2.86	6.0	2.5	6.0	1.0	1.40	1.37	0.78	-0.50	76	2.1	4.7	3224
HO840003269891058		SexTech		2307	11.3	72	144	372	79	2.91	5.0	0.0	5.6	0.6	1.51	1.39	0.32	-1.35	77	1.5	4.7	3222
HO840003247634527	KINGR 50895	Select		2309	11.1	69	143	352	78	2.85	5.3	2.5	8.2	-0.8	2.09	1.81	0.70	0.12	76	3.3	6.1	3220
HO840003275375308	DENOVO 22154 HARRISON-ET	ABS		2309	11.7	66	149	380	78	2.81	6.0	3.3	8.8	-0.7	1.08	0.99	1.33	-1.28	76	2.5	4.6	3219
HO840003269893924		SexTech		2309	11.8	72	129	334	79	2.74	5.7	2.0	7.3	1.0	1.41	1.60	0.08	-0.16	77	1.9	4.4	3218
HO840003150905612	JC-KOW 184	Select		2309	11.3	68	135	344	78	2.85	7.3	4.5	8.5	1.4	0.97	0.70	0.52	-0.48	76	1.9	5.2	3216
HO840003254236718	COOKIECUTTER 91778-ET	HO		2309	11.3	63	145	345	78	2.80	6.4	3.1	7.1	0.5	1.18	1.23	0.66	-0.86	76	2.1	4.5	3216
HO840003273124169	OCD SHEEPSTER SAM-ET	Select		2309	10.6	65	128	320	78	2.80	7.3	3.2	9.8	1.1	0.93	1.59	0.94	-0.67	76	2.0	4.5	3216
HO840003252543927	551HO05776	SexTech		2309	11.7	68	145	367	79	2.84	4.9	1.4	4.6	0.7	1.13	1.18	0.75	-1.06	77	1.6	4.0	3215
HO840003239751731	WET OUTCO327 MISSION-ET	HO		2308	12.0	59	146	358	78	2.61	6.9	2.1	7.9	1.0	0.68	0.97	0.28	-1.44	76	1.8	3.9	3214
HO840003269891263		SexTech		2309	11.7	73	152	387	78	2.91	5.2	1.8	3.3	1.2	0.65	0.81	-0.27	-1.27	76	2.2	4.6	3211
HO840003260839069		Semex		2309	11.6	66	133	312	78	2.84	4.1	0.8	4.5	1.0	2.15	1.86	0.70	0.21	77	2.1	3.1	3209
HO840003276319478		ABS		2309	11.9	76	156	407	79	3.07	4.3	1.9	4.2	-1.5	1.25	1.59	0.62	-1.91	77	2.4	4.6	3209
HO840003269891359		SexTech		2310	12.3	76	119	315	78	2.78	6.1	2.7	6.0	0.6	1.75	1.51	0.92	0.51	76	1.8	4.5	3208
HO840003276319454	WINSTAR EASTON 5259-ET	Select		2309	12.1	56	127	349	78	2.61	7.1	2.9	8.3	1.4	1.07	1.56	0.53	-2.11	76	2.0	4.4	3207
HO840003269891352		SexTech		2310	12.1	71	137	350	78	2.85	5.3	0.9	4.8	0.4	1.66	1.71	0.44	0.26	76	2.5	5.4	3206
HO840003272381704	JONES 5063	Select		2308	11.3	64	149	359	78	2.81	5.1	2.4	5.2	-0.4	1.49	1.56	0.79	-0.23	76	2.4	4.9	3206
HO840003272456580	PEAK 8196-ET	PEAK		2309	12.2	65	127	305	75	2.78	5.4	2.9	7.8	0.9	1.82	1.67	0.77	0.43	73	1.3	4.0	3206
HO840003263438375	PEAK 2652-ET	PEAK		2309	12.4	72	126	326	75	2.72	5.9	0.5	7.8	0.2	1.64	1.73	0.63	-0.12	73	1.6	3.6	3205
HO840003272456575	PEAK 8191-ET	PEAK		2309	12.7	75	141	379	76	2.79	5.7	1.6	6.1	0.7	0.79	1.03	-0.04	-1.70	73	2.5	5.5	3204
HO840003269891236		SexTech		2308	11.6	73	132	349	79	2.76	5.0	-0.1	5.2	0.5	1.52	1.66	0.54	-0.85	78	2.4	4.6	3203
HO840003275375451	DENOVO 22297 CALLIOPE-ET	ABS		2309	11.9	72	130	344	78	2.78	5.5	1.4	8.1	0.4	1.11	1.44	0.76	-0.78	76	1.9	3.6	3200
HO840003273124027	OCD PERKY FRANK-ET	Semex		2308	12.0	52	105	275	76	2.68	7.6	5.2	9.3	3.4	1.34	1.57	0.74	-0.64	74	1.6	3.1	3199
HO840003267429698	SSI-SIEMERS 43508	Select		2309	11.0	67	117	312	79	2.84	6.3	2.7	7.2	2.4	1.14	1.34	0.83	-0.70	77	1.6	4.2	3198
HO840003277638632	CHERRYPCOL 6380 S 1065-ET	Select		2308	11.3	67	150	370	78	2.88	5.3	1.3	6.4	-0.1	1.57	1.34	0.00	-0.88	76	2.9	4.9	3197
HO840003269891300		SexTech		2309	12.6	64	111	299	79	2.88	7.1	4.5	5.8	2.5	1.38	1.79	0.52	-1.01	77	1.7	4.7	3196
HO840003281818904	AOT 80002	Select		2309	11.2	73	135	340	78	2.81	6.5	2.0	7.5	0.5	1.23	1.22	0.12	0.02	76	2.3	5.1	3196
HO840003275375395	DENOVO 22241	ABS		2310	11.9	61	138	353	78	2.88	6.4	2.6	7.8	0.5	1.47	1.10	1.18	-1.14	75	2.8	4.4	3195
HO840003252544021		SexTech		2310	11.4	71	155	377	79	2.93	3.4	-1.0	-0.6	-0.2	1.66	1.77	0.24	-1.26	77	2.3	4.7	3194
HO840003252543553		SexTech		2307	11.8	79	130	364	78	2.87	5.6	2.6	3.4	0.7	0.99	1.58	-0.50	-0.96	76	2.5	4.7	3193













Registration Number	Name	Requester	NAAB code	Birth Date				Yield										Type				
				YYMM	GFI	Pro	Fat	FE	% Rel.	SCS	PL	LIV	HT	FI	PTAT	UDC	FLC	BWC	% Rel.	DCE	DSB	GTPI
HO840003267429874	SSI-SIEMERS 43684	Select		2310	11.2	61	110	303	78	2.64	6.4	1.7	6.8	0.7	1.26	1.50	0.72	-1.06	76	2.0	4.2	3103
HO840003267429757	SSI-SIEMERS 43567	Select		2309	11.5	48	125	312	78	2.69	6.8	2.5	10.6	1.7	0.52	1.28	0.18	-0.85	76	1.7	4.8	3102
HO840003269893920		SexTech		2309	11.0	71	128	347	79	2.86	5.2	2.2	2.3	0.0	0.92	1.34	-0.35	-0.87	77	1.7	4.0	3102
HO840003270371422		Zoetis		2309	11.8	69	125	315	78	2.95	3.7	0.1	3.9	-0.8	1.93	2.11	0.62	0.08	77	2.3	3.5	3102
HO840003272456650	PEAK 8266-ET	PEAK		2310	11.6	84	114	346	75	2.63	6.6	1.5	7.9	-0.8	0.79	0.68	-0.05	-1.24	73	2.1	4.6	3102
HO840003275375331	DENOVO 22177	ABS		2309	11.4	63	143	338	78	2.71	5.3	2.2	7.2	-0.2	0.85	0.80	-0.48	-0.25	75	2.6	4.2	3102
HO840003277651202		ABS		2309	12.1	72	127	352	78	2.81	7.0	3.2	7.0	0.1	0.30	0.57	0.00	-1.61	76	2.0	4.7	3102
HO840003231687899	JOLUDI-D TROOPER 12080-ET	Semex		2212	10.4	62	112	295	77	3.00	4.4	1.0	2.2	0.6	2.36	1.95	1.73	-0.18	75	2.6	5.2	3101
HO840003269405166	PEAK 87709-ET	PEAK		2309	11.4	79	133	354	75	2.93	4.4	0.2	3.4	0.1	0.69	0.95	-0.30	-0.73	73	1.8	4.2	3101
HO840003269405272	PEAK 87815-ET	PEAK		2310	11.6	61	114	296	75	2.89	5.5	1.3	5.7	1.9	1.19	1.32	0.77	-0.72	73	1.5	4.3	3101
HO840003269891332		SexTech		2309	11.3	57	117	307	79	2.86	5.5	0.3	4.2	0.1	1.85	2.36	0.89	-1.27	77	1.9	4.5	3101
HO840003269893944		SexTech		2310	11.8	77	130	351	78	3.01	4.5	0.0	3.9	0.0	1.04	1.14	0.36	-0.68	76	2.6	5.1	3101
HO840003272456570	PEAK 8186-ET	PEAK		2309	11.1	70	104	281	75	2.76	5.7	1.9	8.6	1.6	1.07	1.57	-0.02	-0.05	73	1.9	4.8	3101
HO840003272648855	SSI-DUCKETT 6747	Select		2310	11.2	57	104	291	78	2.81	6.0	1.6	10.1	1.7	1.47	1.72	0.55	-0.73	76	1.6	4.1	3101
HO840003273124013	OCD ENCLAVE LANTERN-ET	Select		2308	11.7	56	96	258	77	2.66	7.9	4.3	12.2	1.5	1.23	1.92	0.26	-0.18	76	1.6	5.0	3101
HO840003274170298	LAMBRECHT 2764-ET	PEAK		2308	11.6	59	132	341	75	2.78	6.7	3.2	10.0	0.0	0.41	0.78	0.66	-1.61	73	1.7	4.5	3101
HO840003275375453	DENOVO 22299	ABS		2309	10.9	57	113	301	78	2.92	6.6	2.5	6.1	1.1	1.29	1.35	1.23	-0.63	76	1.8	3.0	3101
HO840003239751733		GenVis		2309	11.9	62	138	316	78	2.68	4.6	-0.8	5.3	0.1	1.18	1.47	0.08	0.12	76	2.7	5.1	3100
HO840003254236737	IDEAL 91797	Select		2310	11.4	53	106	267	78	2.83	5.3	2.5	6.2	0.1	2.37	2.63	1.49	0.20	77	2.0	4.8	3100
HO840003265763401		Select		2309	12.1	75	101	321	78	2.95	5.1	0.4	1.8	1.0	1.69	1.85	0.49	-1.27	77	2.2	4.3	3100
HO840003269893865		SexTech		2309	11.9	62	133	323	79	2.78	4.6	0.8	4.3	0.6	0.99	1.51	-0.04	-0.70	77	2.2	4.8	3100
HO840003271294219		SexTech		2309	11.8	63	128	339	78	2.83	5.1	1.2	3.8	0.3	1.19	1.53	-0.02	-1.04	76	1.9	4.4	3100
HO840003272848370	DENOVO 21149 MDS	ABS		2309	12.0	62	128	310	78	2.78	5.1	2.5	9.1	0.4	0.78	1.17	0.47	0.27	76	2.1	4.2	3100
HO840003274909485	TERRA-LINDA 12307	Semex		2309	12.2	63	122	334	75	2.88	4.3	0.4	3.2	0.2	1.27	2.18	0.49	-1.80	73	2.3	4.3	3100
HO840003277639702	BLUMENFELD 9002	Select		2309	12.1	68	115	310	78	2.75	5.7	2.0	5.4	0.6	1.02	1.36	0.39	0.00	77	2.3	4.0	3100
HO840003245609062		ABS		2310	11.1	60	151	371	78	2.97	4.7	2.4	4.5	-0.6	0.64	0.95	-0.03	-1.57	76	1.7	2.9	3099
HO840003267429895	SSI-SIEMERS 43705	Select		2310	11.7	41	128	278	78	2.66	6.3	3.1	9.1	1.2	1.27	1.74	0.46	-0.17	76	2.3	4.7	3099
HO840003267429978	SIEMERS 43788	Select		2310	11.5	71	108	313	78	2.77	6.3	1.9	7.5	0.7	1.14	1.13	0.45	-0.65	76	1.7	4.6	3099
HO840003272381702	JONES 5061	Select		2308	10.8	75	115	338	79	2.85	6.4	1.2	5.4	-0.3	1.11	1.56	0.20	-0.72	77	2.7	5.4	3099
HO840003272648883	SSI-DUCKETT 6775	Select		2310	11.6	59	89	271	78	2.57	7.8	2.2	10.7	1.3	1.56	1.95	0.47	-1.35	76	1.6	4.7	3099
HO840003274380510	AOT PERKY 1460-ET	Semex		2309	11.9	63	115	297	76	2.72	4.9	1.3	5.2	0.9	1.52	1.55	0.42	-0.54	74	1.9	4.3	3099
HO840003275375368	DENOVO 22214	ABS		2309	12.3	65	104	309	78	2.66	7.0	2.8	9.4	0.7	1.17	1.52	0.04	-0.88	76	2.5	4.9	3099
HO840003276319451	WINSTAR 5256	Select		2309	11.4	62	130	321	78	2.84	5.7	2.3	6.2	-0.1	1.27	1.20	0.67	-0.42	77	2.4	5.1	3099
HO840003234514554		Zoetis		2309	11.4	61	121	298	79	2.75	5.0	1.8	8.5	1.0	1.21	1.38	0.17	0.16	77	2.3	4.6	3098
HO840003267545598		ABS		2309	11.7	76	132	353	79	2.77	5.7	2.5	7.0	-1.5	0.78	0.99	-0.18	-0.22	77	1.8	4.3	3098
HO840003269891363		SexTech		2310	11.3	62	111	305	79	2.85	5.3	1.8	1.4	1.1	1.41	1.94	0.70	-1.10	77	2.1	4.1	3098
HO840003270399198	MELARRY VERSACHI 2761-ET	Select		2307	11.6	70	105	303	78	2.90	6.2	3.5	7.1	0.5	1.28	1.27	0.98	-0.90	77	1.8	4.1	3098
HO840003275375366	DENOVO 22212 AVID-ET	ABS		2309	11.4	66	127	340	79	2.90	5.6	1.1	5.1	0.9	0.50	1.13	0.30	-1.05	77	1.5	4.5	3098