



High Ranking TPI® Genomic Young Bulls

OCTOBER 2020

Bulls with no daughters in their genomic proofs for Production or Type. No requirement for semen status.

GTPi® is a servicemark of Holstein Association USA, Inc. © 2020

| Registration Number | Name | Requester | NAAB code | Birth Date | | | Yield | | | | | | | | Type | | | | | | | |
|---------------------|-----------------------------|-----------|-----------|------------|------|-----|-------|-----|--------|------|-----|------|-----|------|------|------|-------|-------|--------|-----|-----|------|
| | | | | YYMM | GFI | Pro | Fat | FE | % Rel. | SCS | PL | LIV | HT | FI | PTAT | UDC | FLC | BWC | % Rel. | DCE | DSB | GTPi |
| HO840003149934774 | PLAIN-KNOLL REVOLUTION-ET | Select | | 2008 | 9.3 | 59 | 95 | 219 | 74 | 2.67 | 7.4 | 3.2 | 6.1 | -0.2 | 1.82 | 1.86 | 1.43 | 0.05 | 72 | 1.7 | 3.8 | 3064 |
| HO840003218470897 | AURORA MINKAH-ET | Select | | 2008 | 10.4 | 48 | 91 | 212 | 75 | 2.70 | 6.7 | 3.5 | 6.4 | 1.7 | 1.60 | 1.75 | 1.23 | -0.31 | 73 | 1.5 | 3.4 | 3047 |
| HO840003215230140 | OCD MOOKIE-ET | Semex | | 2007 | 11.1 | 63 | 111 | 249 | 75 | 2.77 | 4.9 | -0.9 | 3.6 | 0.7 | 1.66 | 1.75 | 0.30 | 0.40 | 71 | 3.2 | 5.8 | 3040 |
| HO840003209481361 | SANDY-VALLEY END-ALL-ET | Semex | | 2008 | 10.7 | 65 | 124 | 269 | 74 | 2.81 | 3.9 | -0.8 | 1.8 | -0.4 | 1.70 | 1.61 | 0.17 | 0.54 | 72 | 2.9 | 5.2 | 3036 |
| HO840003216213676 | | Select | | 2008 | 10.1 | 60 | 117 | 264 | 75 | 2.80 | 5.4 | 1.8 | 5.8 | -0.7 | 1.40 | 1.54 | 0.68 | -0.59 | 73 | 3.0 | 5.1 | 3032 |
| HO840003215097896 | SSI-DUCKETT 1396 | Select | | 2008 | 10.4 | 49 | 125 | 252 | 75 | 2.69 | 5.2 | 1.3 | 4.6 | 0.8 | 1.06 | 1.12 | 0.20 | 0.55 | 73 | 1.8 | 4.1 | 3026 |
| HO840003214292551 | WINSTAR EDGE-P 3086-ET | ABS | | 2008 | 10.2 | 52 | 98 | 234 | 76 | 2.90 | 6.4 | 3.1 | 1.9 | 2.5 | 1.06 | 1.47 | 0.44 | -1.32 | 74 | 1.4 | 3.9 | 3024 |
| HO840003215097839 | S-S-I REVLTN SENSATIONAL-ET | Select | | 2008 | 9.9 | 64 | 90 | 237 | 74 | 2.67 | 7.3 | 2.7 | 4.2 | 0.5 | 1.14 | 1.59 | 0.42 | -1.54 | 72 | 1.7 | 4.2 | 3024 |
| HO840003215425732 | PEAK 83213-ET | PEAK | | 2008 | 10.8 | 65 | 95 | 235 | 72 | 2.77 | 6.3 | 2.8 | 3.5 | 1.0 | 0.93 | 1.38 | 0.34 | -0.51 | 69 | 1.6 | 4.4 | 3014 |
| HO840003216574719 | OCD FROMAGE-ET | Semex | | 2009 | 11.0 | 49 | 131 | 268 | 72 | 2.86 | 4.7 | 1.4 | 4.2 | -1.7 | 1.80 | 2.15 | 0.40 | -0.72 | 70 | 2.2 | 5.3 | 3012 |
| HO840003213134153 | 551HO04353 | SexTech | | 2008 | 10.4 | 51 | 100 | 222 | 75 | 2.79 | 5.0 | 0.9 | 3.5 | 1.6 | 1.93 | 1.87 | 0.71 | -0.14 | 73 | 2.4 | 6.1 | 3011 |
| HO840003211041688 | | ABS | | 2008 | 10.5 | 46 | 111 | 231 | 75 | 2.75 | 6.3 | 1.7 | 8.1 | 1.1 | 0.84 | 1.05 | 0.94 | -0.34 | 73 | 2.0 | 3.4 | 3000 |
| HO840003212150679 | PEAK 63144-ET | PEAK | | 2007 | 10.1 | 49 | 94 | 201 | 72 | 2.63 | 7.8 | 4.4 | 6.0 | 1.9 | 0.86 | 1.30 | 0.51 | 0.17 | 69 | 2.1 | 5.4 | 3000 |
| HO840003215761230 | SSI-PRESTON 272 | Select | | 2007 | 10.5 | 42 | 74 | 173 | 75 | 2.65 | 7.1 | 4.1 | 7.9 | 2.9 | 1.31 | 2.17 | 1.10 | 0.03 | 73 | 2.7 | 4.7 | 3000 |
| HO840003212996796 | SIEMERS 33721 | Select | | 2008 | 10.2 | 50 | 98 | 216 | 75 | 2.65 | 5.3 | 1.7 | 6.6 | 1.6 | 1.51 | 1.37 | 0.52 | 0.08 | 72 | 2.3 | 4.5 | 2999 |
| HO840003012575533 | | SexTech | | 2008 | 10.9 | 62 | 103 | 234 | 75 | 2.84 | 4.9 | 1.4 | 2.8 | 1.8 | 1.18 | 0.94 | 0.04 | -0.07 | 73 | 1.5 | 4.6 | 2996 |
| HO840003212996888 | SIEMERS 33813 | Semex | | 2008 | 10.6 | 64 | 92 | 207 | 76 | 2.83 | 4.3 | -0.2 | 5.3 | 0.8 | 1.77 | 1.82 | 1.29 | 0.56 | 73 | 2.8 | 5.3 | 2996 |
| HO840003210484159 | SANDCREEK PACO CALIENTE-ET | Zoetis | | 2008 | 10.0 | 51 | 102 | 234 | 76 | 2.73 | 5.6 | 0.6 | 3.7 | 1.5 | 1.05 | 1.52 | 0.39 | -0.36 | 74 | 1.9 | 3.5 | 2994 |
| HO840003214541065 | WELCOME 4623 | Select | | 2009 | 10.1 | 61 | 103 | 244 | 75 | 2.72 | 5.2 | -0.1 | 6.9 | -0.4 | 1.11 | 1.43 | 0.79 | -0.50 | 72 | 1.6 | 3.4 | 2988 |
| HO840003145445089 | SSI-HOMESTEAD 498 | Select | | 2007 | 10.1 | 66 | 115 | 255 | 75 | 3.00 | 3.6 | -0.2 | 1.3 | -0.6 | 1.80 | 1.48 | 0.52 | -0.14 | 73 | 2.6 | 4.6 | 2983 |
| HO840003218932147 | PEAK 225-ET | PEAK | | 2008 | 10.3 | 63 | 133 | 283 | 73 | 3.05 | 3.7 | 0.6 | 2.1 | -1.1 | 1.07 | 1.05 | 0.50 | 0.08 | 71 | 1.5 | 5.3 | 2983 |
| HO840003213001187 | CO-OP 3091-ET | PEAK | | 2008 | 9.9 | 69 | 111 | 277 | 72 | 2.96 | 5.1 | 1.7 | 2.4 | -0.8 | 0.68 | 1.22 | 0.49 | -1.51 | 69 | 1.9 | 4.2 | 2981 |
| HO840003215425755 | PEAK 83236-ET | PEAK | | 2008 | 10.0 | 61 | 109 | 258 | 72 | 2.99 | 5.6 | 2.0 | 1.8 | 1.0 | 0.85 | 0.92 | 0.51 | -0.14 | 69 | 1.8 | 5.6 | 2980 |
| HO840003219939629 | PEAK 63177-ET | PEAK | | 2008 | 10.5 | 64 | 98 | 235 | 72 | 2.76 | 6.3 | 2.1 | 4.4 | 1.3 | 0.72 | 0.75 | 0.14 | -0.22 | 69 | 1.8 | 5.2 | 2977 |
| HO840003213241823 | PINE-TREE 8311 LRIAT 853-ET | HO | | 2009 | 10.6 | 58 | 88 | 216 | 75 | 2.65 | 6.4 | 2.6 | 7.7 | 2.2 | 0.77 | 0.79 | -0.04 | -0.31 | 73 | 1.8 | 4.5 | 2975 |
| HO840003216213698 | | Select | | 2009 | 10.1 | 52 | 105 | 246 | 75 | 2.86 | 6.0 | 3.6 | 5.7 | 1.5 | 0.29 | 1.01 | 0.28 | -1.26 | 72 | 2.3 | 3.8 | 2975 |
| HO840003215425757 | PEAK 83238-ET | PEAK | | 2008 | 10.3 | 56 | 109 | 243 | 72 | 2.69 | 5.8 | 1.6 | 5.4 | -0.3 | 1.49 | 1.08 | 0.17 | 0.60 | 69 | 2.1 | 5.0 | 2974 |
| HO840003213001190 | CO-OP 3094-ET | PEAK | | 2008 | 10.3 | 71 | 117 | 280 | 72 | 2.79 | 4.6 | 0.7 | 2.9 | -1.6 | 0.89 | 0.87 | 0.49 | -0.09 | 69 | 2.0 | 4.9 | 2973 |
| HO840003213270719 | | SexTech | | 2008 | 11.1 | 57 | 98 | 231 | 75 | 2.93 | 5.1 | 1.1 | 5.8 | 2.0 | 1.01 | 1.09 | 0.25 | -0.97 | 74 | 1.5 | 4.4 | 2973 |
| HO840003215425805 | PEAK 83286-ET | PEAK | | 2009 | 10.9 | 77 | 96 | 253 | 72 | 2.84 | 5.9 | 2.1 | 3.0 | 0.9 | 0.41 | 0.18 | 0.40 | -0.95 | 69 | 2.0 | 4.6 | 2973 |
| HO840003218063453 | FLY-HIGHER LARIAT 7281-ET | GenVis | | 2008 | 11.0 | 63 | 91 | 225 | 76 | 2.95 | 5.7 | 2.8 | 2.3 | 1.6 | 1.30 | 1.12 | 0.46 | -0.41 | 74 | 1.8 | 5.2 | 2973 |
| HO840003215097823 | SSI-DUCKETT 1323 | Select | | 2008 | 9.5 | 63 | 93 | 215 | 74 | 2.74 | 4.2 | -0.2 | 3.5 | -0.9 | 2.38 | 1.96 | 0.99 | 0.46 | 72 | 1.6 | 4.7 | 2969 |
| HO840003218470896 | AURORA MAURKICE-ET | Select | | 2008 | 10.2 | 57 | 84 | 208 | 75 | 2.90 | 5.1 | 1.4 | 4.3 | 1.3 | 1.58 | 1.39 | 1.47 | -0.58 | 73 | 1.6 | 2.7 | 2969 |
| HO840003208782475 | KINGS-RANSOM C HORDE-ET | Zoetis | | 2007 | 10.2 | 64 | 94 | 226 | 75 | 2.71 | 5.7 | 2.5 | 2.9 | 0.7 | 0.75 | 0.84 | 0.85 | -0.14 | 73 | 1.2 | 4.2 | 2967 |
| HO840003213134154 | 551HO04355 | SexTech | | 2008 | 10.4 | 62 | 81 | 218 | 75 | 2.87 | 6.1 | 3.4 | 3.8 | 1.7 | 1.23 | 1.34 | 0.48 | -1.05 | 71 | 1.9 | 5.5 | 2967 |
| HO840003206094513 | SSI-TOG Z462 | Select | | 2008 | 10.5 | 54 | 107 | 246 | 75 | 2.72 | 5.3 | 1.7 | 4.3 | 0.1 | 1.20 | 1.42 | 0.02 | -1.29 | 74 | 2.2 | 4.9 | 2966 |
| HO840003215097952 | SSI-DUCKETT 1452 | Select | | 2009 | 10.4 | 54 | 91 | 205 | 75 | 2.78 | 5.2 | 2.4 | 3.8 | 1.2 | 1.55 | 1.17 | 0.96 | 0.27 | 73 | 1.8 | 2.8 | 2966 |
| HO840003216859521 | DENOVO 17100 PUEBLO-ET | ABS | | 2007 | 10.6 | 52 | 102 | 239 | 77 | 2.86 | 5.6 | 2.0 | 0.6 | 2.5 | 0.55 | 0.62 | 0.58 | -1.06 | 74 | 1.7 | 3.8 | 2962 |
| HO840003219696505 | | ABS | | 2007 | 10.5 | 46 | 115 | 241 | 76 | 2.77 | 5.3 | 2.3 | 6.3 | -0.2 | 1.24 | 1.35 | 0.52 | -0.12 | 73 | 2.1 | 4.9 | 2962 |
| HO840003145445091 | | Select | | 2008 | 10.4 | 41 | 103 | 213 | 74 | 2.67 | 6.0 | 3.0 | 2.8 | 0.9 | 1.34 | 1.54 | 1.01 | -0.21 | 71 | 2.5 | 5.5 | 2959 |
| HO840003219939658 | PEAK 63206-ET | PEAK | | 2009 | 9.5 | 50 | 118 | 248 | 73 | 2.87 | 4.8 | 3.7 | 3.9 | -0.2 | 0.93 | 1.25 | 0.35 | 0.02 | 71 | 1.6 | 4.9 | 2959 |
| HO840003213241816 | PINE-TREE 8079 LARIAT 846 | HO | | 2008 | 10.4 | 73 | 99 | 242 | 76 | 2.93 | 5.1 | 1.4 | 5.3 | 0.3 | 1.12 | 0.67 | 0.19 | 0.11 | 74 | 2.3 | 5.4 | 2958 |
| HO840003213134152 | 551HO04352 | SexTech | | 2008 | 10.1 | 51 | 99 | 229 | 75 | 2.88 | 4.6 | 0.9 | 3.2 | 1.4 | 1.64 | 1.32 | 0.85 | -0.35 | 72 | 2.6 | 5.4 | 2957 |
| HO840003217140900 | CHERRYPENCOL Z LANCE-ET | Semex | | 2007 | 10.9 | 67 | 85 | 228 | 75 | 2.81 | 5.3 | 0.1 | 2.0 | 1.1 | 1.45 | 1.52 | 0.24 | -0.70 | 71 | 2.7 | 5.5 | 2957 |
| HO840003219884269 | MIDAS-TOUCH 296 | Select | | 2008 | 10.6 | 51 | 69 | 177 | 75 | 2.82 | 6.5 | 1.8 | 6.4 | 1.6 | 1.61 | 2.31 | 1.20 | -1.26 | 73 | 1.6 | 3.6 | 2957 |

| Registration Number | Name | Requester | NAAB code | Birth Date | | | Yield | | | | | | | Type | | | | | | | | |
|---------------------|-----------------------------|-----------|-----------|------------|------|-----|-------|-----|--------|------|-----|------|------|------|-------|------|-------|-------|--------|-----|-----|------|
| | | | | YYMM | GFI | Pro | Fat | FE | % Rel. | SCS | PL | LIV | HT | FI | PTAT | UDC | FLC | BWC | % Rel. | DCE | DSB | GTPI |
| HO840003219696518 | | GeneSeek | | 2008 | 10.5 | 49 | 99 | 213 | 74 | 2.78 | 6.3 | 2.5 | 7.2 | -0.6 | 1.19 | 1.51 | 0.40 | -0.31 | 71 | 2.1 | 5.1 | 2906 |
| HO840003212996939 | SIEMERS 33864 | Semex | | 2008 | 10.3 | 58 | 88 | 207 | 73 | 2.76 | 5.2 | 1.1 | 6.0 | 0.4 | 1.07 | 1.23 | 0.39 | -0.13 | 71 | 1.7 | 4.0 | 2905 |
| HO840003215743706 | PEAK 31971-ET | PEAK | | 2008 | 10.1 | 47 | 80 | 179 | 72 | 2.61 | 8.0 | 4.3 | 6.8 | 1.5 | 0.75 | 1.16 | 0.13 | 0.37 | 69 | 1.3 | 5.1 | 2905 |
| HO840003212874362 | COOKIECUTTER 90192 | Semex | | 2008 | 9.9 | 44 | 90 | 204 | 73 | 2.63 | 5.4 | 0.5 | 3.0 | 1.2 | 1.07 | 1.97 | -0.05 | -0.43 | 71 | 2.4 | 4.2 | 2904 |
| HO840003218063436 | FLY-HIGHER ZASB 7264-ET | Semex | | 2008 | 10.6 | 54 | 87 | 200 | 73 | 2.84 | 5.2 | 0.3 | 2.4 | 0.8 | 1.66 | 1.76 | 0.44 | 0.51 | 70 | 2.3 | 5.5 | 2904 |
| HO840003215097947 | SSI-DUCKETT 1447 | Select | | 2009 | 10.2 | 56 | 70 | 184 | 75 | 2.64 | 6.6 | 2.1 | 7.6 | 2.2 | 0.55 | 1.22 | 0.46 | -0.26 | 72 | 2.2 | 5.7 | 2903 |
| HO840003215425803 | PEAK 83284-ET | PEAK | | 2009 | 10.3 | 57 | 97 | 219 | 72 | 2.75 | 5.7 | 1.5 | 3.9 | -0.1 | 0.79 | 1.05 | 0.58 | 0.53 | 69 | 1.7 | 4.6 | 2903 |
| HO840003217140906 | CHERRYPENCOL Z BREAKAWAY-ET | Semex | | 2008 | 10.7 | 41 | 89 | 191 | 73 | 2.58 | 5.8 | 1.7 | 4.8 | 1.3 | 1.34 | 1.53 | 0.04 | 0.03 | 70 | 1.8 | 4.1 | 2903 |
| HO840003219696508 | | ABS | | 2008 | 10.4 | 46 | 115 | 260 | 76 | 2.77 | 5.2 | 1.7 | 5.5 | -0.9 | 0.58 | 1.33 | 0.25 | -1.82 | 73 | 2.3 | 5.1 | 2903 |
| HO840003206702888 | PENN-ENGLAND 1589A | Select | | 2009 | 10.7 | 56 | 67 | 177 | 75 | 2.80 | 5.9 | 2.8 | 6.3 | 2.2 | 1.19 | 1.26 | 0.55 | 0.31 | 73 | 1.7 | 4.4 | 2902 |
| HO840003214541067 | WELCOME 4625 | Select | | 2009 | 10.9 | 47 | 125 | 258 | 78 | 2.97 | 2.3 | -2.4 | 1.7 | -0.7 | 1.48 | 1.89 | -0.01 | -1.12 | 77 | 2.2 | 4.4 | 2902 |
| HO840003215425722 | PEAK 83203-ET | PEAK | | 2008 | 10.8 | 46 | 82 | 206 | 72 | 2.81 | 6.5 | 2.2 | 4.3 | 1.6 | 0.90 | 1.44 | 0.51 | -1.14 | 69 | 1.2 | 3.9 | 2902 |
| HO840003219742936 | LARSON 1526 | Select | | 2008 | 9.8 | 51 | 84 | 199 | 77 | 2.78 | 6.3 | 2.6 | 6.4 | 1.2 | 0.99 | 1.39 | 0.09 | 0.17 | 76 | 2.2 | 4.7 | 2902 |
| HO840003208400832 | HIGHERRANSOM ZONE 11868-ET | Semex | | 2009 | 10.1 | 54 | 92 | 212 | 72 | 2.76 | 5.1 | 1.5 | 4.7 | 1.1 | 1.12 | 1.01 | 0.25 | 0.01 | 70 | 2.2 | 5.6 | 2901 |
| HO840003214541063 | WELCOME 4621 | Select | | 2008 | 10.1 | 63 | 78 | 214 | 75 | 2.70 | 5.9 | 1.1 | 7.1 | 0.1 | 0.70 | 1.30 | 0.59 | -0.72 | 72 | 1.8 | 4.2 | 2900 |
| HO840003215425818 | PEAK 83299-ET | PEAK | | 2009 | 10.1 | 61 | 77 | 203 | 72 | 2.65 | 7.1 | 2.9 | 3.9 | 0.4 | 0.92 | 0.87 | 0.85 | -0.17 | 69 | 2.1 | 5.2 | 2900 |
| HO840003218932143 | PEAK 221-ET | PEAK | | 2007 | 10.6 | 60 | 85 | 220 | 73 | 2.89 | 4.6 | -0.6 | 3.2 | 0.3 | 1.27 | 1.99 | 0.29 | -0.98 | 71 | 1.7 | 4.9 | 2900 |
| HO840003127591279 | DENOVO 3681 | ABS | | 2007 | 10.8 | 35 | 96 | 196 | 76 | 2.80 | 5.9 | 3.7 | 7.1 | 2.5 | 0.71 | 0.80 | 0.27 | 0.42 | 72 | 1.6 | 3.5 | 2899 |
| HO840003213064689 | FLY-HIGHER 11434 | Select | | 2008 | 11.0 | 51 | 93 | 199 | 75 | 2.82 | 4.8 | 1.3 | 4.5 | -0.8 | 2.09 | 1.92 | 0.78 | 0.42 | 72 | 2.3 | 5.4 | 2899 |
| HO840003214541066 | WELCOME 4624 | Select | | 2009 | 9.9 | 38 | 66 | 151 | 75 | 2.61 | 7.7 | 3.3 | 7.9 | 2.5 | 0.86 | 1.76 | 0.68 | -0.24 | 72 | 1.7 | 2.8 | 2899 |
| HO840003219696510 | | ABS | | 2008 | 9.5 | 49 | 102 | 232 | 76 | 2.85 | 4.9 | 1.3 | 4.3 | 0.1 | 0.99 | 1.32 | 0.60 | -1.05 | 73 | 2.0 | 4.9 | 2899 |
| HO840003211413021 | WILRA 2116 | Select | | 2008 | 9.8 | 76 | 81 | 225 | 76 | 2.81 | 5.5 | 1.2 | 4.3 | 0.4 | 0.84 | 0.70 | -0.57 | -0.45 | 72 | 1.4 | 4.3 | 2898 |
| HO840003215743728 | PEAK 31993-ET | PEAK | | 2008 | 11.0 | 63 | 106 | 240 | 72 | 2.89 | 4.5 | -0.3 | 3.2 | -0.6 | 0.93 | 1.03 | 0.46 | 0.69 | 69 | 2.2 | 5.4 | 2898 |
| HO840003219884118 | | Select | | 2009 | 10.0 | 54 | 93 | 222 | 75 | 2.84 | 5.7 | 1.5 | 4.8 | 0.3 | 0.48 | 1.19 | 0.92 | -0.92 | 73 | 1.8 | 3.7 | 2898 |
| HO840003212943197 | WEBB-VUE 404 | Select | | 2008 | 10.3 | 48 | 80 | 176 | 76 | 2.74 | 5.3 | 1.7 | 5.6 | 1.1 | 1.49 | 1.47 | 0.91 | -0.22 | 75 | 1.8 | 3.3 | 2897 |
| HO840003206963318 | PEAK 7190-ET | PEAK | | 2006 | 11.1 | 79 | 84 | 234 | 72 | 2.78 | 5.8 | 1.2 | 4.0 | 0.6 | 0.07 | 0.30 | -0.05 | -0.45 | 69 | 2.0 | 5.2 | 2896 |
| HO840003209481360 | SANDY-VALLEY 4398 | Semex | | 2008 | 10.6 | 51 | 103 | 235 | 73 | 2.74 | 4.6 | 0.6 | 4.8 | 0.7 | 1.21 | 0.58 | 0.25 | -0.05 | 71 | 2.2 | 5.6 | 2896 |
| HO840003215425811 | PEAK 83292-ET | PEAK | | 2009 | 10.7 | 53 | 70 | 172 | 72 | 2.76 | 7.3 | 3.8 | 6.0 | 2.1 | 1.07 | 0.63 | 1.03 | 0.41 | 69 | 1.8 | 4.5 | 2896 |
| HO840003127591278 | DENOVO 3680 | ABS | | 2007 | 9.8 | 44 | 104 | 213 | 77 | 2.76 | 5.5 | 3.5 | 5.2 | 0.5 | 0.82 | 1.02 | 0.31 | 0.16 | 74 | 2.4 | 4.8 | 2895 |
| HO840003215230198 | OCD ZASBERILLA 54839-ET | Semex | | 2008 | 10.6 | 54 | 91 | 223 | 73 | 2.83 | 4.6 | 0.2 | 3.8 | 2.2 | 0.63 | 1.44 | -1.12 | -0.42 | 70 | 1.5 | 4.4 | 2895 |
| HO840003215564922 | PEAK 2022-ET | PEAK | | 2008 | 10.5 | 62 | 79 | 200 | 73 | 2.78 | 5.5 | 0.7 | 5.3 | 0.4 | 1.22 | 1.41 | 0.77 | -0.09 | 71 | 3.1 | 5.3 | 2894 |
| HO840003212874365 | IDEAL 90195 | Select | | 2008 | 10.4 | 49 | 69 | 178 | 75 | 2.64 | 6.5 | 3.0 | 7.1 | 2.4 | 0.40 | 1.23 | 0.49 | -0.34 | 72 | 1.5 | 3.3 | 2893 |
| HO840003212996879 | SIEMERS 33804 | Semex | | 2008 | 10.1 | 44 | 66 | 161 | 75 | 2.60 | 5.5 | 1.9 | 7.6 | 0.6 | 1.94 | 2.36 | 1.25 | 0.09 | 74 | 2.1 | 5.0 | 2893 |
| HO840003215097946 | SSI-DUCKETT 1446 | Select | | 2009 | 11.1 | 49 | 91 | 205 | 78 | 2.81 | 4.3 | 0.2 | 4.0 | -0.3 | 1.72 | 2.12 | 0.86 | -0.65 | 77 | 2.8 | 4.7 | 2893 |
| HO840003216570572 | | ABS | | 2008 | 9.9 | 51 | 108 | 239 | 76 | 2.77 | 6.5 | 3.7 | 3.5 | 0.9 | -0.13 | 0.35 | -0.49 | -0.81 | 72 | 1.6 | 3.8 | 2893 |
| HO840003216859520 | DENOVO 17099 | ABS | | 2007 | 10.2 | 51 | 73 | 172 | 76 | 2.93 | 6.6 | 4.1 | 4.2 | 2.5 | 0.92 | 1.47 | 0.03 | 0.38 | 72 | 1.5 | 4.2 | 2893 |
| HO840003219012340 | | Select | | 2008 | 9.6 | 44 | 118 | 249 | 75 | 2.74 | 4.0 | 1.3 | 4.8 | -0.7 | 0.76 | 1.37 | -0.01 | -0.51 | 73 | 2.8 | 4.4 | 2893 |
| HO840003215425761 | PEAK 83242-ET | PEAK | | 2008 | 10.7 | 58 | 90 | 213 | 72 | 2.92 | 5.3 | 1.5 | 3.8 | 0.2 | 1.40 | 1.28 | 0.11 | -0.09 | 69 | 1.3 | 4.3 | 2892 |
| HO840003216569528 | | ABS | | 2008 | 10.4 | 51 | 92 | 215 | 76 | 2.84 | 5.1 | -0.4 | 3.3 | 0.7 | 1.29 | 1.58 | 0.34 | -0.13 | 74 | 1.8 | 4.7 | 2892 |
| HO840003206963316 | PEAK 7188-ET | PEAK | | 2006 | 11.1 | 61 | 83 | 225 | 72 | 2.81 | 5.7 | 1.0 | 3.8 | 1.1 | 0.31 | 1.10 | 0.40 | -1.56 | 69 | 1.8 | 4.6 | 2891 |
| HO840003209481398 | SANDY-VALLEY 4436 | Semex | | 2009 | 11.4 | 61 | 84 | 217 | 73 | 2.84 | 5.8 | 0.9 | 2.6 | 0.7 | 1.04 | 1.31 | 0.18 | -0.16 | 70 | 2.3 | 5.4 | 2891 |
| HO840003213892943 | JOOK SHELDON 21620-ET | HO | | 2008 | 10.2 | 54 | 87 | 212 | 75 | 2.91 | 5.9 | 1.9 | 4.6 | 0.0 | 1.43 | 1.01 | 1.11 | -1.05 | 72 | 1.6 | 3.6 | 2891 |
| HO840003216570460 | | GenVis | | 2008 | 10.6 | 62 | 108 | 241 | 76 | 3.11 | 3.7 | 1.5 | -0.9 | 0.1 | 1.20 | 0.64 | 0.56 | 0.01 | 73 | 1.8 | 4.7 | 2891 |
| HO840003012575534 | | SexTech | | 2008 | 10.0 | 57 | 82 | 203 | 75 | 2.79 | 6.6 | 2.2 | 4.2 | 1.3 | 0.71 | 1.24 | -0.12 | -1.14 | 73 | 2.0 | 5.2 | 2890 |
| HO840003214541054 | WELCOME 4612 | Select | | 2008 | 10.6 | 48 | 90 | 212 | 75 | 3.06 | 5.4 | 2.5 | 5.0 | 1.3 | 0.99 | 1.39 | 0.53 | -1.15 | 73 | 1.9 | 4.0 | 2890 |
| HO840003215425752 | PEAK 83233-ET | PEAK | | 2008 | 10.4 | 63 | 80 | 201 | 72 | 2.74 | 6.1 | 2.1 | 3.0 | 0.6 | 1.08 | 0.95 | 0.66 | -0.09 | 69 | 2.3 | 6.0 | 2890 |
| HO840003215425762 | PEAK 83243-ET | PEAK | | 2008 | 10.2 | 53 | 79 | 194 | 72 | 2.78 | 7.9 | 4.4 | 5.3 | 1.5 | 0.51 | 0.64 | 0.33 | -0.46 | 69 | 1.2 | 3.9 | 2890 |
| HO840003217428951 | PEAK 429-ET | PEAK | | 2008 | 10.6 | 57 | 92 | 226 | 72 | 2.62 | 5.9 | 0.0 | 2.8 | 1.1 | 0.45 | 0.90 | -0.21 | -0.16 | 69 | 2.2 | 5.0 | 2890 |
| HO840003220234116 | | Select | | 2008 | 10.2 | 44 | 89 | 191 | 75 | 2.75 | 5.7 | 1.8 | 6.1 | 0.8 | 1.50 | 1.52 | 0.62 | 0.45 | 73 | 2.8 | 5.5 | 2890 |